



## CONDUCTIVE HEARING LOSS

RMA ID Number	Reference List for RMA231-3 as at August 2019
---------------	---

91718	Adelman C, Cohen A, Regev-Cohen A, et al (2015). Air conduction, bone conduction, and soft tissue conduction audiograms in normal hearing and simulated hearing losses. <i>J Am Acad Audiol</i> , 26(1): 101-8.
91725	Adobamen PR, Ogisi FO (2012). Hearing loss due to wax impaction. <i>Nig Q J Hosp Med</i> , 22(2): 117-20. [Abstract]
90817	Ahmadzadeh A, Daraei M, Jalessi M, et al (2017). Hearing status in patients with rheumatoid arthritis. <i>J Laryngol Otol</i> , 131(10): 895-9.
6040	Alberti PW (1979). Noise and the ear. Ballantyne J and Groves J (Eds). <i>Scott-Brown's Diseases of the Ear, Nose and Throat</i> , 4th Edition, Vol 2 Chapter 18: 551-622. Butterworths London.
6362	Alberti PW (1991). Occupational hearing loss. JJ Ballenger (Ed). <i>Diseases of the Nose, Throat, Ear, Head, and Neck</i> , 14th Edition, Chapter 49: 1053-68. Lea & Febiger, Philadelphia.
89067	Alzahrani M, Tabet P, Saliba I (2015). Pediatric hearing loss: common causes, diagnosis and therapeutic approach. <i>Minerva Pediatr</i> , 67(1): 75-90.
6043	American Medical Association (1993). Ear, nose, throat, and related structures. <i>Guides to the Evaluation of Permanent Impairment</i> , 4th Edition, Chapter 9: 224-34. American Medical Association.
6363	American Medical Association (1984). Ear, nose, throat and related structures. <i>Guides to the Evaluation of Permanent Impairment</i> , 2nd Edition, Chapter 7: 153-63. American Medical Association, Chicago.
91248	Amilibia Cabeza E, Holgado Perez S, Perez Grau M, et al (2018). Hearing in Paget's disease of bone. <i>Acta Otorrinolaringol Esp</i> , 70(2): 89-96.
6369	Anderson, DM, Keith J, Novak PD (Lexicographers) (1994). <i>Dorland's Illustrated Medical Dictionary</i> , 28th Edition, 736. W B Saunders Philadelphia.
91721	Andreu-Arasa VC, Sung EK, et al (2019). Otosclerosis and dysplasias of the temporal bone. <i>Neuroimaging Clin N Am</i> , 29(1): 29-47.
57540	Andrews C, Cooper MA, Mick PT, et al (2007). [Comments] More on thunderstorms and iPods. <i>NEJM</i> , 357(14): 1447-8.
6138	Anteunis LJ, Wanders SL, Hendriks JJ, et al (1994). A prospective longitudinal study on radiation-induced hearing loss. <i>Am J Surg</i> , 168(5): 408-11.
90822	Aoki M, Tanahashi S, Mizuta K, et al (2015). Treatment for progressive hearing loss due to Paget's disease of bone - A case report and literature review. <i>J Int Adv Otol</i> , 11(3): 267-70.
57435	Aquino BF, Chandra RK, Haines GK, et al (2002). Neuroendocrine adenoma of the middle ear. <i>Otolaryngol Head Neck Surg</i> , 127(5): 477-9.
58436	Aquino BF, Chandra RK, Haines GK, et al (2002). Neuroendocrine adenoma of the middle ear. <i>Otolaryngol Head Neck Surg</i> , 127: 477-9.

88936	Araujo Eda S, Zucki F, Corteletti LC, et al (2012). Hearing loss and acquired immune deficiency syndrome: systematic review. <i>J Soc Bras Fonoaudiol</i> , 24(2): 188-92.
57436	Aspris AK, Thodi CD, Balatsouras DG, et al (2008). Auditory brainstem responses in patients under treatment of hemodialysis. <i>Renal Failure</i> , 30: 383-90.
91289	Atcherson SR, Moreland C, Zazove P, et al (2015). Hearing loss: Hearing augmentation. <i>FP Essent</i> , 434: 18-23. [Abstract]
91270	Attias J, Ulanovski D, Shemesh R, et al (2012). Air-bone gap component of inner-ear origin in audiograms of cochlear implant candidates. <i>Otol Neurol</i> , 33(4): 512-7.
57538	Australian Safety & Compensation Council (2006). Work-Related Noise Induced Hearing Loss in Australia, Section 2.2.1: 13. Australian Government Publishing Service, Canberra.
91063	Australian Standard (1990). Sound level meters. Part 1: Non-integrating. Australian Standard, AS 1259.1-1990. Standards Australia.
59066	Bakthavachalam S, Driver MS, Cox C, et al (2004). Hearing loss in Wegener's granulomatosis. <i>Otol Neurotol</i> , 25(5): 833-7.
6364	Ballantyne J (1979). Traumatic conductive deafness. J Ballantyne, J Groves J (Eds). <i>Scott-Brown's Diseases of the Ear, Nose and Throat</i> , 4th Edition, Vol 2: 159-173. Butterworth's London.
6365	Ballenger JJ (Ed) (1991). <i>Diseases of the Nose, Throat, Ear, Head, and Neck</i> , 14th Edition, Lea & Febiger, Philadelphia.
88947	Ballivet de Regloix S, Crambert A, Maurin O, et al (2017). Blast injury of the ear by massive explosion: a review of 41 cases. <i>J R Army Med Corps</i> , 163(5): 333-8.
91722	Barbon DA, Hedge R, Li S, et al (2017). Bilateral external auditory exostoses causing conductive hearing loss: A case report and literature review of the surfer's ear. <i>Cureus</i> , 9(10): e1810.
57424	Barbosa VC, Santos MA, Becker HM, et al (2007). Osteoma of the middle ear. <i>Rev Bras Otorrinolaringol</i> , 73(5): 719.
91265	Bartindale M, Kircher M, Adams W, et al (2018). Hearing loss following posterior fossa microvascular decompression: A systematic review. <i>Otolaryngol</i> , 158(1): 62-75.
59110	Bennett M, Kaylie D, Warren F, et al (2007). Chronic ear surgery in irradiated temporal bones. <i>Laryngoscope</i> , 117(7): 1240-4. [Abstract]
6366	Berger G, Finkelstein Y, Harell M (1994). Non-explosive blast injury of the ear. <i>J Laryngol Otol</i> , 108: 395-8.
57531	Bhandare N, Jackson A, Eisbruch A, et al (2010). Radiation therapy and hearing loss. <i>Int J Radiat Oncol Biol Phys</i> , 76(3 Suppl): S50-7.
91726	Bhindi A, Carpinetab L, Al Qassabib B, et al (2018). Hearing loss in pediatric temporal bone fractures: Evaluating two radiographic classification systems as prognosticators. <i>Int J Pediatr Otorhinolaryngol</i> , 109: 159-63.
91727	Blake DM, Tomovic S, Jyung RW (2014). Temporal bone fracture. <i>Ear Nose Throat J</i> , 93(1): 16-25.
57425	Blanchet C, Pommie C, Mondain M, et al (2008). Pure-tone threshold description of an elderly French screened population. <i>Otol Neurotol</i> , 29: 432-40.
91728	Borgia F, Ciodaro F, Guarneri F, et al (2018). Auditory system involvement in psoriasis. <i>Acta Derm Venereol</i> , 98(7): 655-9.
58526	Bortoli R, Santiago M (2007). Chloroquine ototoxicity. <i>Clin Rheumatol</i> , 26: 1809-10.

6367	Brown OE, Meyerhoff WL (1991). Otolaryngology and Neuro-Otology. Middle Ear and Mastoid; Diseases of the Tympanic membrane. MM Paparella DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). Otolaryngology, 3rd Edition, Vol 2 Part 3, Chapter 25: 1271, 1287-8. WB Saunders, Philadelphia.
57456	Browning GG, Gatehouse S (1992). The prevalence of middle ear disease in the adult British population. Clin Otolaryngol, 17: 317-21.
57423	Brucker-Davis F, Skarulis MC, Pikus A, et al (1996). Prevalence and mechanisms of hearing loss in patients with resistance to thyroid hormone. J Clin Endocrinol Metab, 81(8): 2766-72.
6368	Burns DK, Meyerhoff WL (1991). Granulomatous disorders and related condition of the ear and temporal bone. Inner Ear. Otolaryngology and Neuro-Otology. MM Paparella DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). Otolaryngology, 3rd Edition, Vol 2 Chapter 39: 1529-30. WB Saunders, Philadelphia.
91730	Cai T, McPherson B (2017). Hearing loss in children with otitis media with effusion: a systematic review. Int J Audiol, 56(2): 65-76.
57434	Chasin WD (1979). The clinical management of otologic disorders. LJ Bradford, WG Hardy (Eds). Hearing and Hearing Impairment, Part II. Chapter 8: 93-108. Grune & Stratton, New York.
91732	Chen JX, Lindeborg M, Herman S, et al (2018). Systematic review of hearing loss after traumatic brain injury without associated temporal bone fracture. Am J Otolaryngol, 39(3): 338-44.
91733	Choi JH, Lee MY, Park JH, et al (2016). Conductive hearing loss with an intact tympanic membrane due to non-inflammatory causes. Auris Nasus Larynx, 43(2): 144-8.
91734	Chole RA, Hullar TE, Potts LG (2014). Conductive component after cochlear implantation in patients with residual hearing conservation. Am J Audiol, 23(4): 359-64.
57426	Choudhury N, Kumar G, Krishnan M, et al (2008). Atypical incus necrosis: a case report and literature review. J Laryngol Otol, 122: 1124-6.
57661	Chujo K, Nakagawa, Komune S (2008). Temporal bone fracture with ossicular dislocation caused by a blow to the opposite side of the head. Auris Nasus Larynx, 35: 273-5.
90850	Cohen BE, Durstenfeld A, Roehm PC (2014). Viral causes of hearing loss: a review for hearing health professionals. Trends Hear, 18: 1-17.
58253	Concha-Barrientos M, Campbell-Lendrum D, Steenland K (2004). Occupational noise. Assessing the burden of disease from work-related hearing impairment at national and local levels. Pruss-Ustun A, et al [Eds]. Environmental Burden of Disease, Series No 9. World Health Organization, Geneva.
91735	Cooper L, Ford K, Talwar R, et al (2014). An unusual cause of chronic otitis media with effusion. J Laryngol Otol, 128(2): 179-81.
91731	Cordoso FA, Monteiro EM, Lopes LB, et al (2017). Adenomatous tumors of the middle ear: A literature review. Int Arch Otorhinolaryngol, 21(3): 308-12.
91736	Curtin HD (2016). Imaging of conductive hearing loss with a normal tympanic membrane. Am J Roentgenol, 206(1): 49-56.
57427	da Costa SS, Rosito LP, Dornelles C (2009). Sensorineural hearing loss in patients with chronic otitis media. Eur Arch Otorhinolaryngol, 266: 221-4.
59111	Dadas B, Alkan S, Turgut S, et al (2001). Primary papillary adenocarcinoma confined to the middle ear and mastoid. Eur Arch Otorhinolaryngol, 258(2): 93-5. [Abstract]
91737	Danesh AA, Shahnaz N, Hall J (2018). The audiology of otosclerosis. Otolaryngol Clin North Am, 51(2): 327-42.

91738	Daval M, Picard H, Bequignon E, et al (2018). Chronic otitis media with effusion in chronic sinusitis with polyps. <i>Ear Nose Throat J</i> , 97(8): E13-8.
91252	Davies RA (2016). Audiometry and other hearing tests. <i>Handb Clin Neurol</i> , 137: 157-76. [Abstract]
91288	Davis AL, Gangatharan S, Kuthubutheen J (2018). Unusual case of unilateral conductive hearing loss: chronic lymphocytic leukaemia. <i>BMJ Case Reports</i> , 2017: 223444.
57428	Debski MG, Zycinska K, Czarkowski M, et al (2007). Progressive hearing loss as the leading sign of Wegener's granulomatosis. <i>Pol Arch Med Wewn</i> , 117(5-6): 266-9.
39952	DePalma RG, Burris DG, Champion HR, et al (2005). Blast injuries. <i>N Engl J Med</i> , 352(13): 1335-42.
59104	Department of Justice and Attorney-General (2004). Noise code of practice 2004. <i>Workplace Health and Safety Queensland</i> : 1-34.
91740	Derin S, Oran A, Demirkuru F, et al (2014). Relapsing polychondritis and otologic findings. <i>North Clin Istanbul</i> , 1(2): 106-8.
90862	Dietrich J, Gondi V, Minesh M (2018). Delayed complications of cranial irradiation. Retrieved 6 February 2019, from <a href="https://www.uptodate.com/contents/delayed-complications-of-cranial-irradiation">https://www.uptodate.com/contents/delayed-complications-of-cranial-irradiation</a>
57429	Dikici O, Muluk NB, Tosun A, et al (2009). Subjective audiological tests and transient evoked otoacoustic emissions in patients with rheumatoid arthritis: analysis of the factors affecting hearing levels. <i>Eur Arch Otorhinolaryngol</i> , 266: 1719-26.
91741	Dundar R, Soy FK, Kulduk E, et al (2014). External auditory canal stenosis due to the use of powdered boric acid. <i>J Craniofac Surg</i> , 25(5): 1776-8.
57430	Ebert CS, Zanation AM, Buchman CA (2008). Another cause for conductive hearing loss with present acoustic reflexes. <i>Laryngoscope</i> , 118: 2059-61.
6370	Edmonds C, Lowry C, Pennefather J (1992). Hearing loss and vertigo. C Edmonds, C Lowry, J Pennefather (Eds). <i>Diving and Subaquatic Medicine</i> , 3rd Edition, Chapter 28: 376-91. Butterworth-Heinemann Ltd, Oxford.
57431	Ellul D, Cutajar J, Borg xuereb H, et al (2008). Nasopharyngeal carcinoma presenting as carotidynia in an 18-year-old patient. <i>J Laryngol Otol</i> , 122: 207-9.
90865	Emamifar A, Hansen IM (2017). Review: An update on hearing impairment in patients with rheumatoid arthritis. <i>J Otology</i> , 13: 1-4.
59112	Emery SB, Meyer A, Miller L, et al (2009). Otosclerosis or congenital stapes ankylosis? The diagnostic role of genetic analysis. <i>Otol Neurotol</i> , 30(8): 1204-8. [Abstract]
91742	Emmett SD, Kokesh J, Kaylie D (2018). Chronic ear disease. <i>Med Clin N Am</i> , 102: 1063-79.
90868	Ensink RJ, Kuper H (2017). Is hearing impairment associated with HIV?: A systematic review of data from low- and middle-income countries. <i>Trop Med Int Health</i> , 22(12): 1493-50.
57432	Fausti SA, Wilmington DJ, Gallun FJ, et al (2009). Auditory and vestibular dysfunction associated with blast-related traumatic brain injury. <i>JRRD</i> , 46(6): 797-810.
59130	Favus MJ, Vokes TJ (2008). Paget disease and other dysplasia of bone. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 349: 2408-16.
57662	Fechter LD, Gearhart C, Fulton S, et al (2007). JP-8 jet fuel can promote auditory impairment resulting from subsequent noise exposure in rats. 98 (2): 510-25. Retrieved 4 August 2010, from <a href="http://toxsci.oxfordjournals.org">http://toxsci.oxfordjournals.org</a>

57663	Gagnaire F, Langlais C (2004). Relative ototoxicity of 21 aromatic solvents. <i>Arch Toxicol</i> , 79: 346-54.
90884	Gallun FJ, Papesh MA, Lewis MS (2017). Hearing complaints among veterans following traumatic brain injury. <i>Brain Inj</i> , 31(9): 1183-7.
91743	Gaur S, Sinha ON, Bhushan A, et al (2017). Observations on tympanic membrane perforations (safe type) and hearing loss. <i>Ind J Otolaryngol Head Neck Surg</i> , 69(1): 29-34.
57433	Gluncic I, Roje Z, Gluncic V, et al (2001). Ear injuries caused by lightning: report of 18 cases. <i>J Laryngol Otol</i> , 115: 4-8.
57674	Goodhill V (1979). Otologic relationships with audiology. <i>Hearing and Hearing Impairment, Part 1. Chapter 2: 15-8.</i> Grune & Stratton, New York.
6371	Goodwill CJ, Lord IJ, Jones RP (1972). Hearing in rheumatoid arthritis. A clinical and audiometric survey. <i>Ann Rheum Dis</i> , 31(3): 170-3.
57541	Gopen QS (2007). [Comment] By the way, Doctor. What can be done for sudden hearing loss in one ear? <i>Harvard Health Letter</i> , 32(6): 8.
6372	Goycoolea MV (1991). Otosclerosis. <i>Otology and Neuro-Otology</i> . MM Paparella DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). <i>Otolaryngology, 3rd Edition, Vol 2 Chapter 37: 1489-512.</i> WB Saunders Co. Philadelphia.
6373	Goycoolea MV, Jung TT (1991). Complications of suppurative otitis media. <i>Otology and Neuro-Otology</i> . MM Paparella DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). <i>Otolaryngology, 3rd Edition, Vol 2 Chapter 31: 1381-403.</i> WB Saunders Co, Philadelphia.
88935	Gredilla Molinero J, Mancheno Losa M, Santamaria Guinea N, et al (2016). Update on the imaging diagnosis of otosclerosis. <i>Radiologia</i> , 58(4): 246-56.
88934	Gredilla Molinero J, Mancheno Losa M, Guinea NS, et al (2016). Update on the imaging diagnosis of otosclerosis. <i>Radiologia</i> , 58(4): 246-56.
56567	Gurkov R, Eshetu T, Miranda IB, et al (2008). Ototoxicity of artemether/lumefantrine in the treatment of falciparum malaria: a randomized trial. <i>Malaria Journal</i> , 7: 179.
59088	Harger MR, Barbosa-Branco A (2004). Effects on hearing due to the occupational noise exposure of marble industry workers in the Federal District, Brazil. <i>Rev Assoc Med Bras</i> , 50(4): 396-99.
57664	Haynes DS, Rutka J, Hawke NM, et al (2007). Ototoxicity of ototopical drops - an update. <i>Otolaryngol Clin North Am</i> , 40: 669-83.
91266	Heah H, Soon SR, Yuen HW (2016). A case series of complicated infective otitis media requiring surgery in adults. <i>Singapore Med J</i> , 57(12): 681-5.
57539	Heffernan EJ, Munk PL, Louis LJ (2007). [Comment] Thunderstorms and iPods - not a good iDea. <i>NEJM</i> , 357(2): 198.
57665	Helfer TM, Jordan NN, Lee (2005). Postdeployment hearing loss in US Army soldiers seen at Audiology Clinics from April 1, 2003 through March 31, 2004. <i>Am J Audiol</i> , 14(2): 161-8.
58474	Hoet P, Lison D (2008). Ototoxicity of toluene and styrene: state of current knowledge. <i>Crit Rev Toxicol</i> , 38: 127-70.
89474	Honeybrook A, Patki A, Chapurin N, et al (2017). Hearing and mortality outcomes following temporal bone fractures. <i>Craniofacial Trauma Reconstr</i> , 10(4): 281-5.
6374	Hough JV, McGee M (1991). Otologic trauma. <i>Otology and Neuro-Otology</i> . MM Paparella DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). <i>Otolaryngology, 3rd Edition, 2 Chapter 15: 1137-60.</i> WB Saunders, Philadelphia.

6375	Isenhower D, Schleuning AJ (1991). Otolaryngologic manifestations of systemic disease. MM Paparella DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). Otolaryngology, 3rd Edition, Vol 1 Chapter 40: 809-16. WB Saunders Co. Philadelphia.
91744	Jan TA, Remenschneider AK, Halpin C, et al (2017). Third-generation bisphosphonates for cochlear otosclerosis stabilizes sensorineural hearing loss in long-term follow-up. Laryngoscope Investig Otolaryngol, 2(5): 262-8.
58179	Jaruchinda P, Thongdeetae T, Panichkul S, et al (2005). Prevalence and an analysis of noise - induced hearing loss in army helicopter pilots and aircraft mechanics. J Med Assoc Thai, 88(Suppl 3): S232-9.
57438	Jereczek-Fossa BA, Zarowski A, Milani F, et al (2003). Radiotherapy-induced ear toxicity. Cancer Treat Rev, 29: 417-30.
91745	Johansson ML, Tysome JR, Hill-Feltham P, et al (2018). Physical outcome measures for conductive and mixed hearing loss treatment: A systematic review. Clin Otolaryngol, 43(5): 1226-34.
56568	Jones NS, Davis A (2000). A retrospective case-controlled study of 1490 consecutive patients presenting to a neuro-otology clinic to examine the relationship between blood lipid levels and sensorineural hearing loss. Clin Otolaryngol, 25: 511-7.
90912	Juliano AF, Ginat DT, Moonis G (2015). Imaging review of the temporal bone: Part II. Traumatic, postoperative, and noninflammatory nonneoplastic conditions. Radiology, 276(3): 655-72.
57666	Kaushik V, Malik T, Saeed SR (2010). Interventions for acute otitis externa (Review). The Cochrane Collaboration, Issue 1. John Wiley & Sons, Chichester.
91746	Keefe DH, Archer KL, Schmid KK, et al (2017). Identifying otosclerosis with aural acoustical tests of absorbance, group delay, acoustic reflex threshold, and otoacoustic emissions. J Am Acad Audiol, 28(9): 838-60.
6376	Keohane JD, Ruby RR, Janzen VD, et al (1993). Medial metal fibrosis: The University of Western Ontario Experience. Am J Otol, 14(2): 172-5.
6377	Kerr AG, Byrne JE (1975). Blast Injuries of the ear. BMJ, 1: 559-61.
90928	Kilic E, Genc H, Aydin U, et al (2017). Variations in otological presentation of lightning strike victims: Clinical report of 3 patients. Ulus Travma Acil Cerrahi Derg, 23(2): 163-66.
57176	Klingmann C, Praetorius M, Baumann I, et al (2007). Barotrauma and decompression illness of the inner ear: 46 cases during treatment and follow-up. Otol Neurotol, 28: 447-54.
91747	Kumar P, Singh NK, Gargeshwari A, et al (2019). Changes in middle ear transmission characteristics secondary to altered bone remodelling. Osteoporos Int, 30(4): 863-70.
91748	Kutlar G, Koyuncu M, Elmali M, et al (2014). Are computed tomography and densitometric measurements useful in otosclerosis with mixed hearing loss: A retrospective clinical study. Eur Arch Otorhinolaryngol, 271(9): 2421-5.
57659	Lalwani AK (2008). Disorders of smell, taste and hearing. Hearing. Harrison's Principles of Internal Medicine, 17th Edition, Chapter 30: 199-204.
90941	Lambert EM, Gunn GB, Gidley PW (2016). Effects of radiation on the temporal bone in patients with head and neck cancer. Head Neck, 38(9): 1428-35.
57439	Lasak JM, Van Ess M, Kryzer TC, et al (2006). Middle ear injury through the external auditory canal: a review of 44 cases. Ear Nose Throat J, 85(11): 722-8.
91749	Lee DH, Lee KH, Yoon TM, et al (2018). Schwannoma of external auditory canal. Auris Nasus Larynx, 45(3): 630-2.
91750	Lee JW, Bance ML (2019). Hearing loss. Pract Neurol, 19(1): 28-35.

91729	Lee TC, Aviv RI, Chen JM, et al (2009). CT grading otosclerosis. <i>Am J Neuroradiol</i> , 30(7): 1435-9.
57440	Leong K, Haber MM, Divi V, et al (2009). Neuroendocrine adenoma of the middle ear (NAME). <i>Ear Nose Throat J</i> , 88(4): 874, 6, 8, 9.
6378	Lewis JS (1979). Tumours of the middle-ear cleft and temporal bone. <i>The Ear</i> . J Ballantyne, J Groves J (Eds). <i>Scott-Brown's Diseases of the Ear, Nose and Throat</i> , 4th Edition, Vol 2 Chapter 13: 385-404. Butterworths, London.
90687	Lie A, Skogstad M, Johannessen HA, et al (2016). Occupational noise exposure and hearing: a systematic review. <i>Int Arch Occup Environ Health</i> , 89(3): 351-72.
57441	Iino Y, Usubuchi H, Kodama K, et al (2009). Eosinophilic inflammation in the middle ear induces deterioration of bone-conduction hearing level in patients with eosinophilic otitis media. <i>Otol Neurotol</i> , 31: 100-4.
6379	Liston SL, Nissen RL, Paparella MM, et al (1991). Surgical treatment of vertigo. <i>Otology and Neuro-otology</i> . MM Paparella DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). <i>Otolaryngology</i> , 3rd Edition, Vol 2 Chapter 50: 1715-32. WB Saunders, Philadelphia.
91751	Maillot O, Attye A, Boutet C, et al (2017). The relationship between post-traumatic ossicular injuries and conductive hearing loss: A 3D-CT study. <i>J Neuroradiol</i> , 44(5): 333-8.
90704	Maillot O, Attye A, Boyer E, et al (2016). Post traumatic deafness: a pictorial review of CT and MRI findings. <i>Insights Imaging</i> , 7(3): 341-50.
90706	Mancini P, Atturo F, Di Mario A, et al (2018). Hearing loss in autoimmune disorders: Prevalence and therapeutic options. <i>Autoimmun Rev</i> , 17(7): 644-52.
57442	Marcincuk MC, Roland PS (2002). Understanding the causes and providing appropriate treatment. <i>Geriatrics</i> , 57(4): 44, 48, 50, 55-6, 59.
57696	Margolis RH, Saly GL (2007). Toward a standard description of hearing loss. <i>Int J Audiol</i> , 46: 746-58.
90709	Markou K, Stavrakas M, Karkos P, et al (2016). Juvenile otosclerosis: a case presentation and review of the literature. <i>BMJ Case Reports</i> , 2016: 214232.
57443	Martin C, Chahine P, Veyret C, et al (2009). Prospective radiological study concerning a series of patients suffering from conductive or mixed hearing loss due to superior semicircular canal dehiscence. <i>Eur Arch Otorhinolaryngol</i> , 266: 1175-81.
57667	Martin C, Chahine P, Veyret C, et al (2009). Prospective radiological study concerning a series of patients suffering from conductive or mixed hearing loss due to superior semicircular canal dehiscence. <i>Eur Arch Otorhinolaryngol</i> , 266: 1175-81.
59113	Martin L, Moriniere S, Machet MC, et al (1998). Bilateral conductive deafness related to erosive lichen planus. <i>J Laryngol Otol</i> , 112(4): 365-6. [Abstract]
88937	Mazon M, Pont E, Albertz N, et al (2018). Imaging of post-traumatic hearing loss. <i>Radiologia</i> , 60(2): 119-27.
57445	Merchant SN, Nakajima HH, Halpin C, et al (2007). Clinical investigation and mechanism of air-bone gaps in large vestibular aqueduct syndrome. <i>Ann Otol Rhinol Laryngol</i> , 116(7): 532-41.
57444	Merchant SN, Rosowski JJ (2008). Conductive hearing loss caused by third-window lesions of the inner ear. <i>Otol Neurotol</i> , 29(3): 282-9.
57446	Mills R (2009). Cholesteatoma behind an intact tympanic membrane in adult life: congenital or acquired? <i>J Laryngol Otol</i> , 123: 488-91.
90717	Mittal R, Lisi CV, Gerring R, et al (2015). Current concepts in the pathogenesis and treatment of chronic suppurative otitis media. <i>J Med Microbiol</i> , 64(10): 1103-16.

57448	Monsell EM (2004). The mechanism of hearing loss in Paget's disease of bone. <i>Laryngoscope</i> , 114: 598-606.
57537	Moore RD, Schuman TA, Scott TA, et al (2010). Exostoses of the external auditory canal in white-water kayakers. <i>Laryngoscope</i> , 120: 582-90.
6380	Morrison AW (1979). Diseases of the otic capsule. 1. Otosclerosis. The Ear. J Ballantyne, J Groves J (Eds). <i>Scott-Brown's Diseases of the Ear, Nose and Throat</i> , 4th Edition, Vol 2 Chapter 14: 405-64. Butterworth's London.
6123	Nadol JB (1993). Hearing loss. <i>NEJM</i> , 329(15): 1092-102.
57860	Nageris BI, Attias J, Shemesh R (2008). Otologic and audiological lesions due to blast injury. <i>J Basic Clin Physiol Pharmacol</i> , 19(3-4): 185-91.
59127	Nagy JL, Adelstein DJ, Newman CW, et al (1999). Cisplatin ototoxicity: the importance of baseline audiometry. <i>Am J Clin Oncol</i> , 22(3): 305-8. [Abstract]
57447	Nahas Z, Tatlipinar A, Limb CJ, et al (2008). Spontaneous meningoencephalocele of the temporal bone. <i>Arch Otolaryngol Head Neck Surg</i> , 134(5): 509-18.
6381	Nassif PS, Shelton C, House HP (1992). Otosclerosis: Treating progressive hearing loss in young adults. <i>Postgrad Med</i> , 91(8): 279-95.
59105	National Acoustic Laboratories (2010). Hearing problems. Retrieved 24 November 2010, from <a href="http://www.nal.gov.au/hearing-loss_tab_conductive.shtml">http://www.nal.gov.au/hearing-loss_tab_conductive.shtml</a>
59109	National Acoustic Laboratories (2010). Hearing loss prevention (protection). Retrieved 24 November 2010, from <a href="http://www.nal.gov.au/hearing-loss-protection_tab_noise-exposure.shtml">http://www.nal.gov.au/hearing-loss-protection_tab_noise-exposure.shtml</a>
57670	Netto LF, da Costa SS, Sleifer P, et al (2009). The impact of chronic suppurative otitis media on children's and teenagers' hearing. <i>Int J Pediatr Otorhinolaryngol</i> , 73: 1751-6.
351	Neuberger M, Korpert K, et al (1992). Hearing loss from industrial noise, head injury and ear disease. <i>Audiology</i> , 31: 45-57.
57437	Niedermeyer HP, Arnold W (2008). Otosclerosis and measles virus - association or causation? <i>ORL</i> , 70: 63-70.
57546	Ogutha J, Page NC, Hullar TE (2009). [Comment] Postpartum vertigo and superior semicircular canal dehiscence syndrome. <i>Obstet Gynecol</i> , 114: 434-6.
91752	Oleksiak M, Smith BM, St Andre JR, et al (2012). Audiological issues and hearing loss among veterans with mild traumatic injury. <i>J Rehabil Res Dev</i> , 49(7): 995-1004.
57545	Ondrey FG, Moldestad E, Mastroianni A, et al (2006). Sensorineural hearing loss in Vogt-Koyanagi-Harada Syndrome. <i>Laryngoscope</i> , 116: 1873-6.
57530	Orji FT, Agu CC (2009). Patterns of hearing loss in tympanic membrane perforation resulting from physical blow to the ear: a prospective controlled cohort study. <i>Clin Otolaryngol</i> , 34(6): 626-32.
90725	Osetinsky LM, Hamilton GS, Carlson ML (2017). Sport injuries of the ear and temporal bone. <i>Clin Sports Med</i> , 36(2): 315-35.
59124	Ovadia S, Dror I, Zubkov T, et al (2009). Churg-Strauss syndrome: a rare presentation with otological and pericardial manifestations: case report and review of the literature. <i>Clin Rheumatol</i> , 28(Suppl 1): S35-8. [Abstract]
57533	Ozturk A, Yalcin S, Kaygusuz I, et al (2004). High-frequency hearing loss and middle ear involvement in rheumatoid arthritis. <i>Am J Otol</i> , 25(6): 411-7.
57542	Pan CC, Eisbruch A, Lee JS, et al (2005). Prospective study of inner ear radiation dose and hearing loss in head-and-neck cancer patients. <i>Int J Radiat Oncol Biol Phys</i> , 61(5): 1393-402.



6382	Paparella MM, Morris MS (1991). Otologic diagnosis. <i>Otology and Neuro-Otology</i> . MM Paparella, DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). <i>Otolaryngology</i> , 3rd Edition, Vol 2 Chapter 1: 885-904. WB Saunders, Philadelphia.
6383	Parisier SC, Edelstein DR, Levenson MJ (1991). Tumours of the middle ear and mastoid. <i>Otology and Neuro-Otology</i> . MM Paparella DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). <i>Otolaryngology</i> , 3rd Edition, Vol 2 Chapter 35: 1457-82. WB Saunders, Philadelphia.
57543	Park K, Choung YH, Shin YR, et al (20207). Conductive deafness with normal eardrum: absence of the long process of the incus. <i>Acta Otolaryngol</i> , 127: 816-20.
91267	Park SY, Jung YH, Oh JH (2015). Clinical characteristics of keratosis obturans and external auditory canal cholesteatoma. <i>Otolaryngol Head Neck Surg</i> , 152(2): 326-30.
59125	Patel A, Pambuccian S, Maisel R (2002). Nasopharyngeal amyloidosis. <i>Am J Otolaryngol</i> , 23(5): 308-11. [Abstract]
58462	Persaud R, Hajioff D, Wareine M, et al (2003). Otological trauma resulting from the Soho nail bomb in London, April 1999. <i>Clin Otolaryngol</i> , 28: 203-6.
90728	Pfannenstiel TJ (2014). Noise-induced hearing loss: a military perspective. <i>Curr Opin Otolaryngol Head Neck Surg</i> , 22(5): 384-7.
91753	Polena K, Feder D, McNamee J, et al (2017). Prevalence of hearing loss among a representative sample of Canadian children and adolescents, 3 to 19 years of age. <i>Ear Hear</i> , 38(1): 7-20.
57534	Pratt SR, Kuller L, Talbott EO, et al (2009). Prevalence of hearing loss in black and white elders: results of the cardiovascular health study. <i>J Speech Lang Hear Res</i> , 52(4): 973-89.
6384	Proctor B (1991). Chronic Otitis media and mastoiditis. <i>Otology and Neuro-Otology</i> . MM Paparella, DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). <i>Otolaryngology</i> , 3rd Edition, Vol 2 Chapter 29: 1349-76. WB Saunders, Philadelphia.
90742	Pusz MD, Robitschek J (2017). Traumatic hearing loss in the context of blast-related tympanic membrane perforation. <i>Mil Med</i> , 182(1): e1645-8.
90743	Rahne T, ClauB F, Plontke SK, et al (2017). Prevalence of hearing impairment in patients with rheumatoid arthritis, granulomatosis with polyangiitis (GPA, Wegener's granulomatosis), or systemic lupus erythematosus. <i>Clin Rheumatol</i> , 36(7): 1501-10.
51195	Ralston SH, Langston AL, Reid IR (2008). Pathogenesis and management of Paget's disease of bone. <i>Lancet</i> , 372: 155-63.
57864	Raut VV, Cullen J, Cathers G (2001). Hearing loss in rheumatoid arthritis. <i>J Otolaryngol</i> , 30(5): 289-94.
91754	Raveh E, Attias J, Nageris B, et al (2015). Pattern of hearing loss following cochlear implantation. <i>Eur Arch Otorhinolaryngol</i> , 272(9): 2261-6.
57548	Redaelli de Zinis LO, Galtelli C, Marconi A (2007). Benign vaascular lesions involving the external ear canal. <i>Auris Nasus Larynx</i> , 34: 369-74.
91755	Ribeiro A, Lopes G, Leonardo A, et al (2015). Meningioma of the external auditory canal. <i>Eur Ann Otorhinolaryngol Head Neck Dis</i> , 132(4): 243.
57668	Roland (2001). Chronic external otitis. <i>Ear Nose Throat J</i> , 80(6 Suppl): 12-6.
58180	Rondinelli RD, Genovese E, Katz RT, et al (2008). Ear, nose, throat, and related structures. <i>Guides to the Evaluation of Permanent Impairment</i> , 6th Edition, Chapter 11: 247-57. American Medical Association.
57660	Rubin MA, Gonzales R, Sande MA (2008). Pharyngitis, sinusitis, otitis, and other upper respiratory tract infections. Acute otitis media. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 31: 208-10.

57549	Ryding M, Konradsson K, White P, et al (2005). Hearing loss after "refractory" secretory otitis media. <i>Acta Otolaryngol</i> , 125: 250-5.
91757	Saana E, Eila S, Kaisla J, et al (2014). Cerumen impaction in patients with schizophrenia. <i>Clin Schizophr Relat Psychoses</i> , 8(2): 110-2.
57550	Salvinelli F, D'Ascanio L, Casale M, et al (2006). Auditory pathway in rheumatoid arthritis. A comparative study and surgical perspectives. <i>Acta Otolaryngol</i> , 126: 32-6.
59106	Samy RN, Marpie B (2009). External ear, benign tumors. <i>Otolaryngology and facial plastic surgery</i> . Retrieved 24 November 2010, from <a href="http://emedicine.medscape.com/article/845901-overview">http://emedicine.medscape.com/article/845901-overview</a>
6385	Sataloff J, Sataloff RT, Vassallo LA (1980). Classification of hearing losses, Conductive hearing loss: causes with abnormalities visible in the eardrum, causes in middle ear and communicating structures, effects of ear surgery. Hearing loss associated with diseases and syndromes. <i>Hearing Loss</i> , 2nd Edition, Chapters 2, 13, 14, 15, 25: 5-6, 118-24, 139-55, 159-62, 346-53, 409-13. JB Lippincott Co, Philadelphia.
57830	Schaper M, Seeber A, Van Thriel C (2008). The effects of toluene plus noise on hearing thresholds: an evaluation based on repeated measurements in the German printing industry. <i>Int J Occup Med Environ Health</i> , 21(3): 191-200.
57551	Seo P, Min YI, Holbrook JT, et al (2005). Damage caused by Wegener's granulomatosis and its treatment. Prospective data from the Wegener's granulomatosis etanercept trial (WGET). <i>Arthritis Rheum</i> , 52(7): 2168-78.
91761	Sevy JO, Singh A (2018). Cerumen impaction. Retrieved 26 June 2019, from <a href="https://www.ncbi.nlm.nih.gov/books/NBK448155/">https://www.ncbi.nlm.nih.gov/books/NBK448155/</a>
91762	Shah A, Ayala M, Capra G, et al (2014). Otologic assessment of blast and nonblast injury in returning Middle East-deployed service members. <i>Laryngoscope</i> , 124: 272-7.
91763	Shah RK (2017). Hearing impairment. Retrieved 26 June 2019, from <a href="https://emedicine.medscape.com/article/994159-overview">https://emedicine.medscape.com/article/994159-overview</a>
57669	Sharabi Y, Reshef-Harran I, Burstein M, et al (2002). Cigarette smoking and hearing loss: lessons from the young adult periodic examinations in Israel (YAPEIS) database. <i>IMAJ</i> , 4: 1118-20.
59128	Shupak A (2006). Recurrent diving-related inner ear barotrauma. <i>Otol Neurotol</i> , 27(8): 1193-6. [Abstract]
59126	Shupak A, Gil A, Nachum Z, et al (2003). Inner ear decompression sickness and inner ear barotrauma in recreational divers: a long-term follow-up. <i>Laryngoscope</i> , 113(12): 2141-7. [Abstract]
6386	Siamopoulou-Mavridou A, Asimakopoulos D, Mavridis A, et al (1990). Middle ear function in patients with juvenile chronic arthritis. <i>Ann Rheum Dis</i> , 49: 620-23.
57552	Silveira Netto LF, da Costa SS, Sleifer P, et al (2009). The impact of chronic suppurative otitis media on children's and teenagers' hearing. <i>Int J Pediatr Otorhinolaryngol</i> , 73(12): 1751-6.
6387	Snow JB, Martin JB (1994). Disturbances of smell, taste and hearing. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 20: 109-15. McGraw Hill.
91764	Subramanian M, Chawla A, Chokkappan K, et al (2018). High-resolution computed tomography imaging in conductive hearing loss: What to look for? <i>Curr Probl Diagn Radiol</i> , 47(2): 119-24.
57673	Taber KH, Warden DL, Hurley RA (2006). Blast-related traumatic brain injury: what is known? <i>J Neuropsychiatry</i> , 18(2): 141-5.
90703	Tabur S, Korkmaz H, Baysal E, et al (2017). Auditory changes in acromegaly. <i>J Endocrinol Invest</i> , 40(6): 621-6.
57532	Takatsu M, Higaki M, Kinoshita H, et al (2005). Ear involvement in patients with rheumatoid arthritis. <i>Otol Neurotol</i> , 26: 755-61.

57553	Tambs K, Hoffman HJ, Borchgrevink HM, et al (2003). Hearing loss induced by noise, ear infections, and head injuries: results from the Nord-Trondelag Hearing Loss Study. <i>Int J Audiol</i> , 42: 89-105.
57834	Taylor DM, Lippmann J, Smith D (2006). The absence of hearing loss in otologically asymptomatic recreational scuba divers. <i>UHM</i> , 33(2): 135-41.
33596	Taylor DM, O'Toole KS, Ryan CM (2003). Experienced scuba divers in Australia and the United States suffer considerable injury and morbidity. <i>Wilderness Environ Med</i> , 14(2): 83-8.
90800	Teixeira LS, Silva IB, Sampaio AL. et al (2018). Hearing loss in acromegaly - A review. <i>Int Arch Otorhinolaryngol</i> , 22(3): 313-6.
57672	Tennyson HC, Mair EA (2004). Smallpox: what every otolaryngologist should know. <i>Otolaryngol Head Neck Surg</i> , 130: 323-33.
91268	Toplu Y, Toplu SA, Sapmaz E, et al (2014). An unusual cause of conductive hearing loss: Bilateral complete meatal obstruction following otoplasty. <i>J Craniofac Surg</i> , 25(2): e168-70.
57554	Tsai YT, Chan KC (2009). Traumatic incus dislocation into the external auditory canal. <i>Otolaryngol</i> , 141: 786-7.
59129	Turegano-Fuentes F, Caba-Doussoux P, Jover-Navalon JM, et al (2008). Injury patterns from major urban terrorist bombings in trains: the Madrid experience. <i>World J Surg</i> , 32(6): 1168-75. [Abstract]
19492	U.S. Department of Health and Human Services (1998). Criteria for a Recommended Standard: Occupational Noise Exposure [Revised Criteria 1998]. DHHS (NIOSH) Publication, National Institute for Occupational Safety and Health.
90805	Upala S, Rattanawong P, Vutthikraivit W, et al (2017). Significant association between osteoporosis and hearing loss: a systematic review and meta-analysis. <i>Braz J Otorhinolaryngol</i> , 83(6): 646-52.
91782	Ursick JA, Fayad JN (2013). External auditory canal exostosis. <i>Ear Nose Throat J</i> , 92(1): 13.
91785	Van Haesendonck G, Van Rompaey V, Gilles A, et al (2018). Otologic outcomes after blast injury: The Brussels bombing experience. <i>Otol Neurotol</i> , 39(10): 1250-5.
63347	Vernick DM (2011). Ear barotrauma. Retrieved 13 February 2012, from <a href="http://www.uptodate.com/contents/ear-barotrauma">http://www.uptodate.com/contents/ear-barotrauma</a>
91783	Vihapure G, Dokania V, Thakral N (2018). Erosive benign fibro-osseous lesion of the external auditory canal. <i>Cureus</i> , 10(2): e2135.
58476	Vyskocil A, Leroux T, Truchon G, et al (2008). Ethyl benzene should be considered ototoxic at occupationally relevant exposure concentrations. <i>Toxicol Ind Health</i> , 24: 241-6.
58473	Vyskocil A, Leroux T, Truchon G, et al (2008). Ototoxicity of trichloroethylene in concentrations of relevant for the working environment. <i>Hum Exp Toxicol</i> , 27: 195-200.
58472	Vyskocil A, Leroux T, Truchon G, et al (2008). Occupational ototoxicity of n-hexane. <i>Hum Exp Toxicol</i> , 27: 471-6.
59107	Walsh JP (2004). Paget's disease of bone. <i>MJA</i> , 181(5): 262-5.
57555	Wang MC, Lee GS (2007). Vestibular evoked myogenic potentials in middle ear effusion. <i>Acta Otolaryngol</i> , 127: 700-4.
59108	Wang MC, Liu CY, Shiao AS, et al (2005). Ear problems in swimmers. <i>J Chin Med Assoc</i> , 68(8): 347-52.
59133	Wang MC, Liu CY, Yu EC, et al (2009). Vestibular evoked myogenic potentials in chronic otitis media before and after surgery. <i>Acta Otolaryngol</i> , 129(11): 1206-11. [Abstract]
6388	Ward WD (1991). Noise-induced hearing damage. <i>Otology and Neuro-Otology</i> . MM Paparella, DA Shumrick, JL Gluckman, WL Meyerhoff (Eds). <i>Otolaryngology</i> , Vol 2 Chapter 45: 1639-52. WB Saunders. Philadelphia.

91254	Weber P (2016). Evaluation of hearing loss in adults. Retrieved 2 April 2019, from <a href="https://www.uptodate.com/contents/evaluation-of-hearing-loss-in-adults">https://www.uptodate.com/contents/evaluation-of-hearing-loss-in-adults</a>
59120	Wei L, Ding D, Salvi R (2010). Salicylate-induced degeneration of cochlea spiral ganglion neurons-apoptosis signaling. <i>Neurosci</i> , 168(1): 288-99. [Abstract]
90672	Welling DR, Ukstins CA (2018). Otitis media: Beyond the examining room. <i>Pediatr Clin N Am</i> , 65(1): 105-23.
59121	Wenig BM (1996). Schneiderian-type mucosal papillomas of the middle ear and mastoid. <i>Ann Otol Rhinol Laryngol</i> , 105(3): 226-33. [Abstract]
57535	Wennmo C, Spandow O (1993). Fractures of the temporal bone - chain incongruencies. <i>Am J Otol</i> , 14(1): 38-42.
91784	Wexler S, Poletto E, Chennupati SK (2017). Pediatric temporal bone fractures: A 10-year experience. <i>Pediatr Emerg Care</i> , 33(11): 745-7.
6389	Wiet RJ, Raslan W, Shambaugh GE (1986). Otosclerosis 1981-1985. Our four-year review and current perspective. <i>Am J Otol</i> , 7(3): 221-8.
57556	Wild DC, Brewster MJ, Banerjee AR (2005). Noise-induced hearing loss is exacerbated by long-term smoking. <i>Clin Otolaryngol</i> , 30: 517-20.
91269	Wong Chung J, Chussi DC, van Heerbeek N (2017). External auditory canal stenosis after traumatic auricular amputation. <i>J Craniofac Surg</i> , 28(1): e87-9.
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28: 161-8.
57675	Yaghmaei M, Ghoujehi A, Sadeghinejad A, et al (2009). Auditory changes in patients undergoing orthognathic surgery. <i>Int J Oral Maxillofac Surg</i> , 18: 1148-53.
57536	Yetiser S, Hidir Y, Birkent H, et al (2008). Traumatic ossicular dislocations: etiology and management. <i>Am J Otol</i> , 2008: 31-6.
59122	Yoruk O, Fidan V, Sutbeyaz Y (2009). Hearing loss unusually caused by tubercular retropharyngeal abscess. <i>J Craniofac Surg</i> , 20(3): 955-7. [Abstract]
57544	Yoshida H, Miyamoto I, Takahashi H (2009). Is sensorineural hearing loss with chronic otitis media due to infection or aging in older patients? <i>Auris Nasus Larynx</i> , 36: 269-73.
59123	Yuen HW, Boeddinghaus R, Eikelboom RH, et al (2009). The relationship between the air-bone gap and the size of superior semicircular canal dehiscence. <i>Otolaryngol Head Neck Surg</i> , 141(6): 689-94. [Abstract]
57547	Zackaria M, Aymat A (2009). Ear candling: a case report. <i>Eur J Gen Pract</i> , 15: 168-9.
6390	Ziv M, Philipsohn NC, Leventon G, et al (1973). Blast injury of the ear: Treatment and evaluation. <i>Mil Med</i> , 138(12): 811-3.
58255	Zuur CL, Simis YJ, Lamers EA, et al (2009). Risk factors for hearing loss in patients treated with intensity-modulated radiotherapy for head-and-neck tumors. <i>Int J Radiat Oncol Biol Phys</i> , 74(2): 490-6.