Australian Government
Repatriation Medical Authority

EPICONDYLITIS

RMA ID Number	Reference List for RMA325-4 as at December 2022

108910	Aaras A, Dainoff M, Ro O, et al (2001). Can a More Neutral Position of the Forearm When operating a computer mouse reduce the pain level for visual display unit operators? A prospective epidemiological intervention study: Part II. Int J Hum-Comput Int, 13(1): 13-40.
26305	Aaras A, Dainoff M, Ro O, et al (2002). Can a more neutral position of the forearm when operating a computer mouse reduce the pain level for VDU operators? Int J Ind Ergon, 30(4-5): 307-24.
107822	Aben A, De Wilde L, Hollevoet N, et al (2018). Tennis elbow: associated psychological factors. J Shoulder Elbow Surg, 27(3): 387-92.
72386	Abrams GD, Renstrom PA, Safran MR (2012). Epidemiology of musculoskeletal injury in the tennis player. Br J Sports Med, 46(7): 492-8.
108924	Accident Compensation Corporation New Zealand (ACC) (2014). Work-related risk factors for lateral epicondylitis. Retrieved 31 October 2022, from https://www.acc.co.nz/assets/research/001bf63b3e/work-risk-lateral-epicondylitis.pdf
25229	Administrative Appeals Tribunal (2020). AAT Bulletin, 26/2020.
72371	Ahmad Z, Siddiqui N, Malik SS, et al (2013). Lateral epicondylitis: a review of pathology and management. Bone Joint J, 95-B(9): 1158-64.
108715	Ajimsha MS, Chithra S, Thulasyammal RP (2012). Effectiveness of myofascial release in the management of lateral epicondylitis in computer professionals. Arch Phys Med Rehabil, 93(4): 604-9.
32085	Akosa AB, Ali MH (1989). Epithelioid haemangioendothelioma of terminal ileum after therapeutic irradiation. J Clin Pathol, 42(8): 889-90.
108186	Alizadehkhaiyat O, Fisher AC, Kemp GJ, et al (2007). Pain, functional disability, and psychologic status in tennis elbow. Clin J Pain, 23(6): 482-9.
107882	Allami M, Mousavi B, Masoumi M, et al (2016). A comprehensive musculoskeletal and peripheral nervous system assessment of war-related bilateral upper extremity amputees. Mil Med Res, 3: 34.
72633	Andersen E (2004). Laboratory workers and musculoskeletal disorders--examining ergonomic risk factors and solutions. AAOHN J, 52(9): 366-7.
26105	Andersen JH, Fallentin N, Thomsen JF, et al (2011). Risk factors for neck and upper extremity disorders among computers users and the effect of interventions: an overview of systematic reviews. PLoS One, 6(5): e19691.
28666	Andersen JH, Gaardboe O (1993). Musculoskeletal disorders of the neck and upper limb among sewing machine operators: a clinical investigation. Am J Ind Med, 24(6): 689-700.
107876	Arcury TA, Cartwright MS, Chen H, et al (2014). Musculoskeletal and neurological injuries associated with work organization among immigrant Latino women manual workers in North Carolina. Am J Ind Med, 57(4): 468-75.

107883	Arcury TA, Chen H, Mora DC, et al (2016). The effects of work organization on the health of immigrant manual workers: A longitudinal analysis. Arch Environ Occup Health, 71(2): 66-73.
107866	Arrigoni P, Cucchi D, D'Ambrosi R, et al (2017). Intra-articular findings in symptomatic minor instability of the lateral elbow (SMILE). Knee Surg Sports Traumatol Arthrosc, 25(7): 2255-63.
25872	Aydeniz A, Gursoy S (2008). Upper extremity musculoskeletal disorders among computer users. Turk J Med Sci, 38: 235-8.
108170	Bakker EA, Timmers S, Hopman MT, et al (2017). Association between statin use and prevalence of exercise-related injuries: a cross-sectional survey of amateur runners in the Netherlands. Sports Med, 47(9): 1885-92.
107884	Bao SS, Kapellusch JM, Merryweather AS, et al (2016). Impact of work organizational factors on carpal tunnel syndrome and epicondylitis. J Occup Environ Med, 58(8): 760-4.
31961	Baron S, Milliron M, Habes D, et al (1991). Hazard evaluation and technical assistance report: Shoprite Supermarkets, New Jersey - New York. NIOSH Report No. HHE88-344-2092, US Department of Health & Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety & Health.
107886	Ben-Nafa W, Munro W (2018). The effect of corticosteroid versus platelet-rich plasma injection therapies for the management of lateral epicondylitis: A systematic review. SICOT J, 4: 11.
32196	Bennett JB (1994). Lateral and medial epicondylitis. Hand Clin, 10(1): 157-63.
108685	Berger RA (2009). Overuse syndrome. Morrey's The Elbow and Its Disorders, 4th Edition, Chapter 50. Elsevier.
77839	Beri A, Dwamena FC, Dwamena BA (2009). Association between statin therapy and tendon rupture: a case-control study. J Cardiovasc Pharmacol, 53(5): 401-4.
77827	Beri A, Khattri S (2008). [Comment] Tendon rupture and statin therapy: is there a link? Comment on the article by Marie et al. Arthritis Rheum, 59(8): 1202.
72404	Bishai SK, Plancher KD (2006). The basic science of lateral epicondylosis: update for the future. Tech Orthop, 21(4): 250-5.
32943	Bleecker ML, Celio MA, Barnes SK (2011). A medical-ergonomic program for symptomatic keyboard/mouse users. J Occup Environ Med, 53(5): 562-8.
107661	Bobos P, Nazari G, Lu Z, et al (2020). Measurement properties of the hand grip strength assessment: a systematic review with meta-analysis. Arch Phys Med Rehabil, 101(3): 553-65.
32100	Bollen SR (1990). Upper limb injuries in elite rock climbers. J R Coll Surg Edinb, 35(Suppl 6): S18-20.
94891	Bolon B (2017). Mini-review: Toxic tendinopathy. Toxicol Pathol, 45(7): 834-7.
31950	Boyer MI, Hastings H 2nd (1999). Lateral tennis elbow: "Is there any science out there?". J Shoulder Elbow Surg, 8(5): 481-91.
107244	Bretschneider SF, Los FS, Eygendaal D, et al (2022). Work-relatedness of lateral epicondylitis: Systematic review including meta-analysis and GRADE work-relatedness of lateral epicondylitis. Am J Ind Med, 65(1): 41-50.
73355	Brukner P, Khan K (2012). Elbow and arm pain. Brukner & Khan's Clinical Sports Medicine, 4th Edition, Chapter 22: 390-402. McGraw Hill Australia Pty Ltd.
108825	Bruno Garza JL, Young JG (2015). A literature review of the effects of computer input device design on biomechanical loading and musculoskeletal outcomes during computer work. Work, 52(2): 217-30.

107821	Bruyn GA, Hanova P, Iagnocco A, et al (2014). Ultrasound definition of tendon damage in patients with rheumatoid arthritis. Results of a OMERACT consensus-based ultrasound score focussing on the diagnostic reliability. Ann Rheum Dis, 73(11): 1929-34.
107885	Bugajska J, Zolnierczyk-Zreda D, Jedryka-Goral A, et al (2013). Psychological factors at work and musculoskeletal disorders: a one year prospective study. Rheumatol Int, 33(12): 2975-83.
31962	Burt S, Hornung R, Fine L (1990). Hazard evaluation and technical assistance report: NIOSH Report No, HHE 89-250-2046, US Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety & Health; Newsday, Inc. Melville, NY.
32203	Bylak J, Hutchinson MR (1998). Common sports injuries in young tennis players. Sports Med, 26(2): 119-32.
17414	Bystrom S, Hall C, Welander T, et al (1995). Clinical disorders and pressure-pain threshold of the forearm and hand among automobile assembly line workers. J Hand Surg Br, 20(6): 782-90.
108912	Canadian Centre for Occupational Health and Safety (CCOHS) (2019). Work-related Musculoskeletal Disorders (WMSDs). Retrieved 31 October 2022, from https://www.ccohs.ca/oshanswers/diseases/rmirsi.html
107871	Cannata F, Vadala G, Ambrosio L, et al (2021). The impact of type 2 diabetes on the development of tendinopathy. Diabetes Metab Res Rev, 37(6): e3417.
107933	Casolla B, Caparros F, Cordonnier C, et al (2019). Biological and imaging predictors of cognitive impairment after stroke: a systematic review. J Neurol, 266(11): 2593-604.
32141	Chen FS, Rokito AS, Jobe FW (2001). Medial elbow problems in the overhead-throwing athlete. J Am Acad Orthop Surg, 9(2): 99-113.
31911	Chiang HC, Ko YC, Chen SS, et al (1993). Prevalence of shoulder and upper-limb disorders among workers in the fish-processing industry. Scand J Work Environ Health, 19(2): 126-31.
72372	Ciccotti MC, Schwartz MA, Ciccotti MG (2004). Diagnosis and treatment of medial epicondylitis of the elbow. Clin Sports Med, 23(4): 693-705, xi.
31905	Cicotti MG (1999). Epicondylitis in the athlete. Instr Course Lect, 48: 375-81.
100534	Coenen P, van der Molen HF, Burdorf A, et al (2019). Associations of screen work with neck and upper extremity symptoms: a systematic review with meta-analysis. Occup Environ Med, 76(7): 502-9.
94899	Cohen PR (2018). Cephalexin-associated Achilles tendonitis: case report and review of drug-induced tendinopathy. Cureus, 10(12): e3783.
108911	Conlon CF, Krause N, Rempel DM (2008). A randomised controlled trial evaluating an alternative mouse and forearm support on upper body discomfort and musculoskeletal disorders among engineers. Occup Environ Med, 65(5): 311-8.
108165	Coombes BK, Bisset L, Vicenzino B (2015). Cold hyperalgesia associated with poorer prognosis in lateral epicondylalgia: a 1-year prognostic study of physical and psychological factors. Clin J Pain, 31(1): 30-5.
108163	Coombes BK, Bisset L, Brooks P, et al (2013). Effect of corticosteroid injection, physiotherapy, or both on clinical outcomes in patients with unilateral lateral epicondylalgia: a randomized controlled trial. JAMA, 309(5): 461-9.
107887	Curti S, Mattioli S, Bonfiglioli R, et al (2021). Elbow tendinopathy and occupational biomechanical overload: A systematic review with best-evidence synthesis. J Occup Health, 63(1): e12186.
107881	Cutts S, Gangoo S, Modi N, et al (2020). Tennis elbow: A clinical review article. J Orthop, 17: 203-7.

107187	da Costa JT, Baptista JS, Vaz M (2015). Incidence and prevalence of upper-limb work related musculoskeletal disorders: A systematic review. Work, 51(4): 635-44.
107918	Daniels SP, De Tolla JE, Azad A, et al (2021). Imaging evaluation of medial and lateral elbow pain: acute and chronic tendon injuries of the humeral epicondyles. Semin Musculoskelet Radiol, 25(4): 589-99.
107877	Degen RM, Cancienne JM, Camp CL, et al (2017). Patient-related risk factors for requiring surgical intervention following a failed injection for the treatment of medial and lateral epicondylitis. Phys Sportsmed, 45(4): 433-7.
107879	Degen RM, Cancienne JM, Camp CL, et al (2017). Three or more preoperative injections is the most significant risk factor for revision surgery after operative treatment of lateral epicondylitis: an analysis of 3863 patients. J Shoulder Elbow Surg, 26(4): 704-9.
106612	Descatha A, Albo F, Leclerc A, et al (2016). Lateral epicondylitis and physical exposure at work? A review of prospective studies and meta-analysis. Arthritis Care Res (Hoboken), 68(11): 1681-7.
108913	Descatha A, Dale AM, Silverstein BA, et al (2015). Lateral epicondylitis: new evidence for work relatedness. Joint Bone Spine, 82(1): 5-7.
31902	Descatha A, Leclerc A, Chastang JF, et al (2003). Medial epicondylitis in occupational settings: prevalence, incidence and associated risk factors. J Occup Environ Med, 45(9): 993-1001.
72610	Descatha A, Dale AM, Jaegers L, et al (2013). Self-reported physical exposure association with medial and lateral epicondylitis incidence in a large longitudinal study. Occup Environ Med, 70(9): 670-3.
108915	Dick FD, Graveling RA, Munro W, et al (2011). Workplace management of upper limb disorders: a systematic review. Occup Med (Lond), 61(1): 19-25.
31944	Dimberg L (1987). The prevalence and causation of tennis elbow (lateral humeral epicondylitis) in a population of workers in an engineering industry. Ergonomics, 30(3): 573-9.
31973	Dimberg L, Olafsson A, Stefansson E, et al (1989). The correlation between work environment and the occurrence of cervico-brachial symptoms. J Occup Med, 31(5): 447-53.
31951	Disabella VN (2004). Lateral epicondylitis. Retrieved 23 August 2004, from http://www.emedicine.com/sports/topic59.htm
72664	Disabella VN (2013). Elbow and forearm overuse injuries. Retrieved 15 August 2014, from http://emedicine.medscape.com/article/96638-overview
72373	Donaldson O, Vannet N, Gosens T et al (2013). Tendinopathies around the Elbow Part 1: lateral elbow tendinopathy. Shoulder Elbow, 5(4): 239-50.
72374	Donaldson O, Vannet N, Gosens T, et al (2014). Tendinopathies around the elbow Part 2: medial elbow, distal biceps and triceps tendinopathies. Shoulder Elbow, 6(1): 47-56.
31939	Dryson EW, Walls CB (2001). The distribution of occupations in two populations with upper limb pain. Int J Occup Environ Health, 7(3): 201-5.
107872	Ebstein E, Coustet B, Masson-Behar V, et al (2018). Enthesopathy in rheumatoid arthritis and spondyloarthritis: An ultrasound study. Joint Bone Spine, 85(5): 577-81.
31912	Engel J (1995). Tennis: dynamics of racket-grip interaction. J Hand Surg Am, 20(3 Part 2): S77-81.
107874	Fan ZJ, Bao S, Silverstein BA, et al (2014). Predicting work-related incidence of lateral and medial epicondylitis using the strain index. Am J Ind Med, 57(12): 1319-30.

72745	Fan ZJ, Silverstein BA, Bao S, et al (2014). The association between combination of hand force and forearm posture and incidence of lateral epicondylitis in a working population. Hum Factors, 56(1): 151-65.
72877	Fan ZJ, Silverstein BA, Bao S, et al (2009). Quantitative exposure-response relations between physical workload and prevalence of lateral epicondylitis in a working population. Am J Ind Med, 52(6): 479-90.
32140	Field LD, Altchek DW (1995). Elbow injuries. Clin Sports Med, 14(1): 59-78.
32086	Field LD, Savoie FH (1998). Common elbow injuries in sport. Sports Med, 26(3): 193-205.
107888	Font YM, Castro-Santana LE, Nieves-Plaza M, et al (2014). Factors associated with regional rheumatic pain disorders in a population of Puerto Ricans with diabetes mellitus. Clin Rheumatol, 33(7): 995-1000.
32119	Fransson-Hall C, Bystrom S, Kilbom A (1995). Self-reported physical exposure and musculoskeletal symptoms of the forearm-hand among automobile assembly-line workers. J Occup Environ Med, 37(9): 1136-44.
32083	Fukunaga M, Endo Y, Ushigome S (1999). Radiation-induced inflammatory malignant fibrous histiocytoma of the ileum. APMIS, 107(9): 837-42.
32199	Gabel GT (1999). Acute and chronic tendinopathies at the elbow. Curr Opin Rheumatol, 11(2): 138-43.
72375	Gallagher S, Heberger JR (2013). Examining the interaction of force and repetition on musculoskeletal disorder risk: a systematic literature review. Hum Factors, 55(1): 108-24.
107820	Garg A, Kapellusch JM, Hegmann KT, et al (2014). The strain index and TLV for HAL: risk of lateral epicondylitis in a prospective cohort. Am J Ind Med, 57(3): 286-302.
108187	Garnevall B, Rabey M, Edman G (2013). Psychosocial and personality factors and physical measures in lateral epicondylalgia reveal two groups of "tennis elbow" patients, requiring different management. Scand J Pain, 4(3): 155-62.
107889	Gautam VK, Verma S, Batra S, et al (2015). Platelet-rich plasma versus corticosteroid injection for recalcitrant lateral epicondylitis: clinical and ultrasonographic evaluation. J Orthop Surg (Hong Kong), 23(1): 1-5.
72872	Gerr F, Fethke NB, Merlino L, et al (2014). A prospective study of musculoskeletal outcomes among manufacturing workers: I. Effects of physical risk factors. Hum Factors, 56(1): 112-30.
107891	Gilotra MN, Fridman J, Enobun B, et al (2021). Risk factors associated with atraumatic posterolateral rotatory instability. JSES Int, 5(4): 827-33.
108703	Goodman G, Kovach L, Fisher A, et al (2012). Effective interventions for cumulative trauma disorders of the upper extremity in computer users: practice models based on systematic review. Work, 42(1): 153-72.
32143	Grana W (2001). Medial epicondylitis and cubital tunnel syndrome in the throwing athlete. Clin Sports Med, 20(3): 541-8.
31893	Grieco A, Molteni G, De Vito G, et al (1998). Epidemiology of musculoskeletal disorders due to biomechanical overload. Ergonomics, 41(9): 1253-60.
108826	Griffiths KL, Mackey MG, Adamson BJ, et al (2012). Prevalence and risk factors for musculoskeletal symptoms with computer based work across occupations. Work, 42(4): 533-41.
70326	Grzywacz JG, Arcury TA, Mora D, et al (2012). Work organization and musculoskeletal health: clinical findings from immigrant Latino poultry processing and other manual workers. J Occup Environ Med, 54(8): 995-1001.

32122	Haahr JP, Andersen JH (2003). Prognostic factors in lateral epicondylitis: a randomized trial with one-year follow-up in 266 new cases treated with minimal occupational intervention or the usual approach in general practice. Rheumatology (Oxford), 42(10): 1216-25.
32089	Haahr JP, Andersen JH (2003). Physical and psychosocial risk factors for lateral epicondylitis: a population based case-referent study. Occup Environ Med, 60(5): 322-9.
31895	Haker E, Theodorsson E, Lundeberg T (1998). An experimental model of tennis elbow in rats: a study of the contribution of the nervous system. Inflammation, 22(4): 435-44.
32097	Hart LE (1994). Exercise and soft tissue injury. Baillieres Clin Rheumatol, 8(1): 137-48.
107363	Heales LJ, Lim EC, Hodges PW, et al (2014). Sensory and motor deficits exist on the non-injured side of patients with unilateral tendon pain and disability--implications for central nervous system involvement: a systematic review with meta-analysis. Br J Sports Med, 48(19): 1400-6.
108917	Health Council of the Netherlands (2012). Computer use at work. Retrieved 31 October 2022, from https://www.healthcouncil.nl/documents/advisory-reports/2012/12/20/computer-use-at-work
107890	Hegmann KT, Thiese MS, Kapellusch J, et al (2017). Association between epicondylitis and cardiovascular risk factors in pooled occupational cohorts. BMC Musculoskelet Disord, 18(1): 227.
31901	Helliwell PS, Bennett RM, Littlejohn G, et al (2003). Towards epidemiological criteria for soft-tissue disorders of the arm. Occup Med (Lond), 53(5): 313-9.
72615	Herquelot E, Bodin J, Roquelaure Y, (2013). Work-related risk factors for lateral epicondylitis and other cause of elbow pain in the working population. Am J Ind Med, 56(4): 400-9.
72376	Herquelot E, Gueguen A, Roquelaure Y, et aal (2013). Work-related risk factors for incidence of lateral epicondylitis in a large working population. Scand J Work Environ Health, 39(6): 578-88.
31964	Hoekstra EJ, Hurrell JJ, Swanson NG (1994). Hazard evaluation and technical assistance report: Social Security Administration Teleservice Centers, Boston, MA; Fort Lauderdale, FL. Cincinnati, OH: US. Department of Helath & Human Services, Public Helath Service, Centers for Disease Control & Prevention, National Institute for Occupational Safety & Health. NIOSH Report No. 92-0382-2450.
32126	Holtzhausen LM, Noakes TD (1996). Elbow, forearm, wrist, and hand injuries among sport rock climbers. Clin J Sport Med, 6(3): 196-203.
32197	Hotchkiss RN (2000). Epicondylitis--lateral and medial. A problem-oriented approach. Hand Clin, 16(3): 505-8.
72611	Houvet P, Obert L (2013). Upper limb cumulative trauma disorders for the orthopaedic surgeon. Orthop Traumatol Surg Res, 99(Suppl 1): S104-14.
31955	Hughes RE, Silverstein BA, Evanoff BA (1997). Risk factors for work-related musculoskeletal disorders in an aluminum smelter. Am J Ind Med, 32(1): 66-75.
108920	IJmker S, Huysmans MA, Blatter BM, et al (2007). Should office workers spend fewer hours at their computer? A systematic review of the literature. Occup Environ Med, 64(4): 211-22.
25245	Iqbal ZA, Alghadir AH (2017). Cumulative trauma disorders: A review. J Back Musculoskelet Rehabil, 30(4): 663-6.
72612	Jayanthi N (2014). Epicondylitis (tennis and golf elbow). Retrieved 12 August 2014, from http://www.uptodate.com/contents/epicondylitis-tennis-and-golf-elbow

109511	Jayanthi N (2022). Elbow tendinopathy (tennis and golf elbow). Updated. Retrieved 1 December 2022, from https://www.uptodate.com/contents/elbow-tendinopathy-tennis-and-golf-elbow
32168	Jobe FW, Cicotti MG (1994). Lateral and medial epicondylitis of the elbow. J Am Acad Orthop Surg, 2(1): 1-8.
107983	Kachooei AR, Talaei-Khoei M, Faghfouri A, et al (2016). Factors associated with operative treatment of enthesopathy of the extensor carpi radialis brevis origin. J Shoulder Elbow Surg, 25(4): 666-70.
31899	Kandemir U, Fu FH, McMahon PJ (2002). Elbow injuries. Curr Opin Rheumatol, 14(2): 160-7.
107893	Kentar Y, Zastrow R, Bradley H, et al (2018). Prevalence of upper extremity pain in a population of people with paraplegia. Spinal Cord, 56(7): 695-703.
72619	Khaliq Y, Zhanel GG (2003). Fluoroquinolone-associated tendinopathy: a critical review of the literature. Clin Infect Dis, 36(11): 1404-10.
38865	Khan KM, Cook JL, Kannus P, et al (2002). Time to abandon the "tendinitis" myth. BMJ, 324(7338): 626-7.
107660	Kholinne E, Liu H, Kim H, et al (2021). Systematic review of elbow instability in association with refractory lateral epicondylitis: myth or fact? Am J Sports Med, 49(9): 2542-50.
107892	Kiel J, Kaiser K (2022). Golfers elbow. Retrieved 13 July 2022, from https://www.ncbi.nlm.nih.gov/books/NBK519000/
72618	Kim GK (2010). The risk of fluoroquinolone-induced tendinopathy and tendon rupture. What does the clinician need to know? J Clin Aesthet Dermatol, 3(4): 49-54.
107895	Kim M, Yoo JI, Kim MJ, et al (2019). Prevalence of upper extremity musculoskeletal diseases and disability among fruit tree farmers in Korea: cross-sectional study. Yonsei Med J, 60(9): 870-5.
107894	Kim YS, Kim ST, Lee KH, et al (2021). Radiocapitellar incongruity of the radial head in magnetic resonance imaging correlates with pathologic changes of the lateral elbow stabilizers in lateral epicondylitis. PLoS One, 16(7): e0254037.
75075	Kirchgesner T, Larbi A, Omoumi P, et al (2014). Drug-induced tendinopathy: from physiology to clinical applications. Joint Bone Spine, 81(6): 485-92.
31945	Kivi P (1983). The etiology and conservative treatment of humeral epicondylitis. Scand J Rehabil Med, 15(1): 37-41.
108043	Kniesel B, Huth J, Bauer G, et al (2014). Systematic diagnosis and therapy of lateral elbow pain with emphasis on elbow instability. Arch Orthop Trauma Surg, 134(12): 1641-7.
94942	Knobloch K (2016). Drug-induced tendon disorders. Adv Exp Med Biol, 920: 229-38.
107896	Knutsen EJ, Calfee RP, Chen RE, et al (2015). Factors associated with failure of nonoperative treatment in lateral epicondylitis. Am J Sports Med, 43(9): 2133-7.
32087	Kraushaar BS, Nirschl RP (1999). Tendinosis of the elbow (tennis elbow). Clinical features and findings of histological, immunohistochemical, and electron microscopy studies. J Bone Joint Surg Am, 81(2): 259-78.
108919	Kryger AI, Andersen JH, Lassen CF, et al (2003). Does computer use pose an occupational hazard for forearm pain; from the NUDATA study. Occup Environ Med, 60(11): e14.
31937	Kurppa K, Viikari-Juntura E, Kuosma E, et al (1991). Incidence of tenosynovitis or peritendinitis and epicondylitis in a meat-processing factory. Scand J Work Environ Health, 17(1): 32-7.
72377	Kurppa K, Waris P, Rokkanen P (1979). Tennis elbow. Lateral elbow pain syndrome. Scand J Work Environ Health, 5(Suppl 3): 15-8.

88295	Kwak SH, Lee SJ, Jeong HS, et al (2018). Subtle elbow instability associated with lateral epicondylitis. BMC Musculoskelet Disord, 19: 136.
72849	Langford C, Gilliland B (2012). Periarticular disorders of the extremities. Harrison's Internal Medicine, Chapter 337: 2860-3. McGraw Hill.
94945	Laroche F, Coste J, Medkour T, et al (2014). Classification of and risk factors for estrogen deprivation pain syndromes related to aromatase inhibitor treatments in women with breast cancer: a prospective multicenter cohort study. J Pain, 15(3): 293-303.
108921	Lassen CF, Mikkelsen S, Kryger AI, et al (2004). Elbow and wrist/hand symptoms among 6,943 computer operators: a 1-year follow-up study (the NUDATA study). Am J Ind Med, 46(5): 521-33.
31935	Le Huec JC, Schaeverbeke T, Chauveaux D, et al (1995). Epicondylitis after treatment with fluoroquinolone antibiotics. J Bone Joint Surg Br, 77(2): 293-5.
32204	Leach RE, Miller JK (1987). Lateral and medial epicondylitis of the elbow. Clin Sports Med, 6(2): 259-72.
32098	Leclerc A, Landre MF, Chastang JF, et al (2001). Upper-limb disorders in repetitive work. Scand J Work Environ Health, 27(4): 268-78.
107880	Lee SH, Gong HS, Kim S, et al (2019). Is there a relation between lateral epicondylitis and total cholesterol levels? Arthroscopy, 35(5): 1379-84.
32139	Leino-Arjas P (1998). Smoking and musculoskeletal disorders in the metal industry: a prospective study. Occup Environ Med, 55(12): 828-33.
25311	Leonard DM (2000). The effectiveness of intervention strategies used to educate clients about prevention of upper extremity cumulative trauma disorders. Work, 14(2): 151-7.
107245	Leong HT, Tsui SS, Ng GY, et al (2016). Reduction of the subacromial space in athletes with and without rotator cuff tendinopathy and its association with the strength of scapular muscles. J Sci Med Sport, 19(12): 970-4.
107932	Leung DK, Chan WC, Spector A, et al (2021). Prevalence of depression, anxiety, and apathy symptoms across dementia stages: A systematic review and meta-analysis. Int J Geriat Psychiatry, 36(9): 1330-44.
108922	Lewis M, Hay EM, Paterson SM, et al (2002). Effects of manual work on recovery from lateral epicondylitis. Scand J Work Environ Health, 28(2): 109-16.
32049	Lieber RL, Ljung BO, Friden J (1997). Sarcomere length in wrist extensor muscles. Changes may provide insights into the etiology of chronic lateral epicondylitis. Acta Orthop Scand, 68(3): 249-54.
84915	Lins CF, Santiago MB (2015). Ultrasound evaluation of joints in systemic lupus erythematosus: a systematic review. Eur Radiol, 25(9): 2688-92.
31885	Ljung BO, Forsgren S, Friden J (1999). Substance P and calcitonin gene-related peptide expression at the extensor carpi radialis brevis muscle origin: implications for the etiology of tennis elbow. J Orthop Res, 17(4): 554-9.
107870	Lui PP (2017). Tendinopathy in diabetes mellitus patients-Epidemiology, pathogenesis, and management. Scand J Med Sci Sports, 27(8): 776-87.
72378	Luk JK, Tsang RC, Leung HB (2014). Lateral epicondylalgia: midlife crisis of a tendon. Hong Kong Med J, 20(2): 145-51.
6449	Luopajarvi T, Kuorinka I, Virolainen M, et al (1979). Prevalence of tenosynovitis and other injuries of the upper extremities in repetitive work. Scand J Work Environ Health, 5(Suppl 3): 48-55.
107897	Macchi M, Spezia M, Elli S, et al (2020). Obesity increases the risk of tendinopathy, tendon tear and rupture, and postoperative complications: a systematic review of clinical studies. Clin Orthop Relat Res, 478(8): 1839-47.

32125	Macfarlane GJ, Hunt IM, Silman AJ (2000). Role of mechanical and psychosocial factors in the onset of forearm pain: prospective population based study. BMJ, 321(7262): 676-9.
31882	Maffulli N, Wong J, Almekinders LC (2003). Types and epidemiology of tendinopathy. Clin Sports Med, 22(4): 675-92.
v	Magra M, Caine D, Maffulli N (2007). A review of epidemiology of paediatric elbow injuries in sports. Sports Med, 37(8): 717-35.
108633	Makris UE, Alvarez CA, Mortensen EM, et al (2018). Association of statin use with increased risk of musculoskeletal conditions: a retrospective cohort study. Drug Saf, 41(10): 939-50.
107246	Mallows A, Debenham J, Walker T, et al (2017). Association of psychological variables and outcome in tendinopathy: a systematic review. Br J Sports Med, 51(9): 743-8.
31934	Malmivaara A, Viikari-Juntura E, Huuskonen M, et al (1995). Rheumatoid factor and HLA antigens in wrist tenosynovitis and humeral epicondylitis. Scand J Rheumatol, 24(3): 154-6.
107367	Mancuso CA, Lee SK, Dy CJ, et al (2016). Compensation by the uninjured arm after brachial plexus injury. Hand (N Y), 11(4): 410-5.
108632	Mansi I, Frei CR, Pugh MJ, et al (2013). Statins and musculoskeletal conditions, arthropathies, and injuries. JAMA Intern Med, 173(14): 1-10.
34789	Mansi IA, Mortensen EM, Pugh MJ, et al (2013). Incidence of musculoskeletal and neoplastic diseases in patients on statin therapy: results of a retrospective cohort analysis. Am J Med Sci, 345(5): 343-8.
108923	Marcus M, Gerr F, Monteilh C, et al (2002). A prospective study of computer users: II. Postural risk factors for musculoskeletal symptoms and disorders. Am J Ind Med, 41(4): 236-49.
76273	Marie I, Delafenetre H, Massy N, et l (2008). Tendinous disorders attributed to statins: a study on ninety-six spontaneous reports in the period 1990-2005 and review of the literature. Arthritis Rheum, 59(3): 367-72.
108743	Mattioli S, Violante FS, Bonfiglioli R (2015). Upper-extremity and neck disorders associated with keyboard and mouse use. Handb Clin Neurol, 131: 427-33.
10324	McCormack RR Jr, Inman RD, Wells A, et al (1990). Prevalence of tendinitis and related disorders of the upper extremity in a manufacturing workforce. J Rheumatol, 17(7): 958-64.
72666	McCreesh K, Lewis J (2013). Continuum model of tendon pathology - where are we now? Int J Exp Pathol, 94(4): 242-7.
32084	McCue LJ, Norton AJ (1988). Radiation-induced leiomyosarcoma of the small intestine. J R Coll Surg Edinb, 33(3): 162-4.
107873	McLean J, Kempston MP, Pike JM, et al (2018). Varus posteromedial rotatory instability of the elbow: injury pattern and surgical experience of 27 acute consecutive surgical patients. J Orthop Trauma, 32(12): e469-74.
107899	Mease PJ, Bhutani MK, Hass S, et al (2022). Comparison of clinical manifestations in rheumatoid arthritis vs. spondyloarthritis: a systematic literature review. Rheumatol Ther, 9(2): 331-78.
32090	Mens JM, Stoeckart R, Snijders CJ, et al (1999). Tennis elbow, natural course and relationship with physical activities: an inquiry among physicians. J Sports Med Phys Fitness, 39(3): 244-8.
107898	Michienzi AE, Anderson CP, Vang S, et al (2015). Lateral epicondylitis and tobacco use: a case-control study. Iowa Orthop J, 35: 114-8.
107900	Milutinovic S, Radunovic G, Veljkovic K, et al (2015). Development of ultrasound enthesitis score to identify patients with enthesitis having spondyloarthritis: prospective, double-blinded, controlled study. Clin Exp Rheumatol, 33(6): 812-7.

32200	Milz S, Tischer T, Buettner A, et al (2004). Molecular composition and pathology of entheses on the medial and lateral epicondyles of the humerus: a structural basis for epicondylitis. Ann Rheum Dis, 63(9): 1015-21.
31850	Mitchell JD, Reid DM (1983). Reversible neurological causes of tennis elbow. Br Med J (Clin Res Ed), 286(6379): 1703-4.
32091	Moore JS (2002). Biomechanical models for the pathogenesis of specific distal upper extremity disorders. Am J Ind Med, 41(5): 353-69.
32018	Moore JS, Garg A (1994). A comparison of different approaches for ergonomic job evaluation for predicting risk of upper extremity disorders. Occupational Health & Safety, Vol 2: 176-8.
31908	Murphy M, Wiehe P, Barnes L (1997). Silica granuloma: another cause of tennis elbow. Br J Dermatol, 137(3): 477.
31938	Murtagh JE (1988). Tennis elbow. Aust Fam Physician, 17(2): 90-1, 94-5.
107247	Navarro-Ledesma S, Luque-Suarez A (2018). Comparison of acromiohumeral distance in symptomatic and asymptomatic patient shoulders and those of healthy controls. Clin Biomech (Bristol, Avon), 53: 101-6.
108684	Nirschl RP, Alvarado GJ (2009). Tennis elbow tendinosis. Morrey's The Elbow and Its Disorders, 4th Edition, Chapter 44. Elsevier.
32167	Nirschl RP, Pettrone FA (1979). Tennis elbow. The surgical treatment of lateral epicondylitis. J Bone Joint Surg Am, 61(6A): 832-9.
31903	Norregaard J, Jacobsen S, Kristensen JH (1999). A narrative review on classification of pain conditions of the upper extremities. Scand J Rehabil Med, 31(3): 153-64.
88197	O'Brien MJ, Savoie FH 3rd (2014). Arthroscopic and open management of posterolateral rotatory instability of the elbow. Sports Med Arthrosc Rev, 22(3): 194-200.
31883	O'Dwyer KJ, Howie CR (1995). Medial epicondylitis of the elbow. Int Orthop, 19(2): 69-71.
31972	Ohlsson K, Attewell RG, Palsson B, et al (1995). Repetitive industrial work and neck and upper limb disorders in females. Am J Ind Med, 27(5): 731-47.
6432	Ohlsson K, Attewell R, Skerfving S (1989). Self-reported symptoms in the neck and upper limbs of female assembly workers. Impact of length of employment, work pace, and selection. Scand J Work Environ Health, 15(1): 75-80.
31956	Ohlsson K, Hansson GA, Balogh I, et al (1994). Disorders of the neck and upper limbs in women in the fish processing industry. Occup Environ Med, 51(12): 826-32.
31896	Ono Y, Nakamura R, Shimaoka M, et al (1998). Epicondylitis among cooks in nursery schools. Occup Environ Med, 55(3): 172-9.
72399	Orchard J, Kountouris A (2011). The management of tennis elbow. BMJ, 342: d2687.
70331	Ostlie K, Franklin RJ, Skjeldal OH, et al (2011). Musculoskeletal pain and overuse syndromes in adult acquired major upper-limb amputees. Arch Phys Med Rehabil, 92(12): 1967-73.e1.
107901	Otoshi K, Takegami M, Sekiguchi M, et al (2015). Chronic hyperglycemia increases the risk of lateral epicondylitis: the Locomotive Syndrome and Health Outcome in Aizu Cohort Study (LOHAS). Springerplus, 4: 407.
32142	Overend TJ, Wuori-Fearn JL, Kramer JF, et al (1999). Reliability of a patient-rated forearm evaluation questionnaire for patients with lateral epicondylitis. J Hand Ther, 12(1): 31-7.
31952	Owens BD (2004). Lateral epicondylitis. Retrieved 23 August 2004, from http://www.emedicine.com/orthoped/topic510.htm

72400	Owens DB, Wolf JM, Murphy KP (2013). Lateral epicondylitis surgery. Retrieved 28 July 2014, from http://emedicine.medscape.com/article/1231903-overview
108164	Pallant JF, Bailey CM (2005). Assessment of the structure of the Hospital Anxiety and Depression Scale in musculoskeletal patients. Health Qual Life Outcomes, 3: 82.
72379	Palmer KT, Harris EC, Coggon D (2007). Compensating occupationally related tenosynovitis and epicondylitis: a literature review. Occup Med (Lond), 57(1): 67-74.
72380	Papa JA (2012). Two cases of work-related lateral epicondylopathy treated with Graston Technique and conservative rehabilitation. J Can Chiropr Assoc, 56(3): 192-200.
107902	Parihar JK, Jain VK, Chaturvedi P, et al (2016). Computer and visual display terminals (VDT) vision syndrome (CVDTS). Med J Armed Forces India, 72(3): 270-6.
107903	Park HB, Gwark JY, Im JH, et al (2021). Factors associated with lateral epicondylitis of the elbow. Orthop J Sports Med, 9(5): 23259671211007734.
107916	Park HB, Kam M, Gwark JY (2019). Association of steroid injection with soft-tissue calcification in lateral epicondylitis. J Shoulder Elbow Surg, 28(2): 304-9.
32448	Pascarelli EF, Hsu YP (2001). Understanding work-related upper extremity disorders: clinical findings in 485 computer users, musicians, and others. J Occup Rehabil, 11(1): 1-21.
32101	Peck DM (1995). Apophyseal injuries in the young athlete. Am Fam Physician, 51(8): 1891-5, 1897-8.
108661	Pedersen LK, Jensen LK (1999). [Relationship between occupation and elbow pain, epicondylitis]. Ugeskr Laeger, 161(34): 4751-5 [Article in Danish]. [Abstract]
107904	Pensak MJ, Carry PM, Entin JM, et al (2019). Depression and anxiety among patients with atraumatic lateral epicondylitis and ulnar-sided wrist pain. J Wrist Surg, 8(4): 295-9.
32198	Peters T, Baker CL Jr (2001). Lateral epicondylitis. Clin Sports Med, 20(3): 549-63.
32102	Pienimaki TT, Siira PT, Vanharanta H (2002). Chronic medial and lateral epicondylitis: a comparison of pain, disability, and function. Arch Phys Med Rehabil, 83(3): 317-21.
72904	Pitzer ME, Seidenberg PH, Bader DA (2014). Elbow tendinopathy. Med Clin North Am, 98(4): 833-49, xiii.
32169	Plancher KD, Halbrecht J, Lourie GM (1996). Medial and lateral epicondylitis in the athlete. Clin Sports Med, 15(2): 283-305.
10581	Punnett L, Robins JM, Wegman DH, et al (1985). Soft tissue disorders in the upper limbs of female garment workers. Scand J Work Environ Health, 11(6): 417-25.
32096	Putnam MD, Cohen M (1999). Painful conditions around the elbow. Orthop Clin North Am, 30(1): 109-18.
108925	Queiroz LB, Lourenco B, Silva LE, et al (2018). Musculoskeletal pain and musculoskeletal syndromes in adolescents are related to electronic devices. J Pediatr (Rio J), 94(6): 673-9.
107370	Ranney D, Wells R, Moore A (1995). Upper limb musculoskeletal disorders in highly repetitive industries: precise anatomical physical findings. Ergonomics, 38(7): 1408-23.
32099	Rayan GM (1992). Archery-related injuries of the hand, forearm, and elbow. South Med J, 85(10): 961-4.
108167	Rechardt M, Viikari-Juntura E, Shiri R (2014). Adipokines as predictors of recovery from upper extremity soft tissue disorders. Rheumatology (Oxford), 53(12): 2238-42.

107906	Reece CL, Susmarski A (2022). Medical epicondylitis. Retrieved 13 July 2022, from https://www.ncbi.nlm.nih.gov/books/NBK557869/
108926	Rempel DM, Krause N, Goldberg R, et al (2006). A randomised controlled trial evaluating the effects of two workstation interventions on upper body pain and incident musculoskeletal disorders among computer operators. Occup Environ Med, 63(5): 300-6.
31910	Ritz BR (1995). Humeral epicondylitis among gas- and waterworks employees. Scand J Work Environ Health, 21(6): 478-86.
108168	Rosa D, Di Donato SL, Balato G, et al (2016). Supinated forearm is correlated with the onset of medial epicondylitis in professional slalom water-skiers. Muscles Ligaments Tendons J, 6(1): 140-6.
31967	Roto P, Kivi P (1984). Prevalence of epicondylitis and tenosynovitis among meatcutters. Scand J Work Environ Health, 10(3): 203-5.
107907	Saglam G, Akuzum F, Cetinkaya Alisar D (2022). Assessment of psychiatric disorders and sleep quality in chronic lateral epicondylitis. Agri, 34(3): 193-9.
107920	Sakai M, Mutsuzaki T, Shimizu Y, et al (2021). Characteristic MRI findings of shoulder, elbow, and wrist joints in wheelchair user. Skeletal Radiol, 50(1): 171-8.
107931	Salerno S, Giliberti C (2022). Women's wrist and elbow at work: analysis of acute injuries and cumulative trauma disorders to improve ergonomics in female-dominated activities. Ergonomics, 65(11): 1477-85.
107243	Sayampanathan AA, Basha M, Mitra AK (2020). Risk factors of lateral epicondylitis: A meta-analysis. Surgeon, 18(2): 122-8.
22393	Sayampanathan AA, Basha M, Mitra AK (2020). Risk factors of lateral epicondylitis: A meta-analysis. Surgeon, 18(2): 122-8.
107908	Schafer VS, Recker F, Vossen D, et al (2020). Prevalence of elbow joint arthritis and enthesitis in rheumatoid arthritis. J Clin Med, 9(5): 1590.
31946	Schnatz P, Steiner C (1993). Tennis elbow: a biomechanical and therapeutic approach. J Am Osteopath Assoc, 93(7): 778, 782-8.
107909	Seidel DH, Ditchen DM, Hoehne-Huckstadt UM, et al (2019). Quantitative measures of physical risk factors associated with work-related musculoskeletal disorders of the elbow: a systematic review. Int J Environ Res Public Health, 16(1): 130.
107905	Shannon N, Cable B, Wood T, et al (2020). Common and less well-known upper-limb injuries in elite tennis players. Curr Sports Med Rep, 19(10): 414-21.
31936	Shapiro DH (1990). Another cause of tennis elbow. N Engl J Med, 323(20): 1428.
77825	Shin JI, Lee JS (2009). [Comment] Tendinopathy and statin use: the role of matrix metalloproteinases or eicosanoids? Comment on the letter by Beri and Khattri and the article by Marie et al. Arthritis Rheum, 61(2): 286-7; Author reply: 287-8.
72381	Shiri R, Viikari-Juntura E, Varonen H, et al (2006). Prevalence and determinants of lateral and medial epicondylitis: a population study. Am J Epidemiol, 164(11): 1065-74.
72746	Shiri R, Viikari-Juntura E (2011). Lateral and medial epicondylitis: role of occupational factors. Best Pract Res Clin Rheumatol, 25(1): 43-57.
25247	Silverstein BA, Fine LJ (1991). [Comment] Cumulative trauma disorders of the upper extremity. A preventive strategy is needed. J Occup Med, 33(5): 642-4.
75080	Singer O, Cigler T, Moore AB, et al (2012). Defining the aromatase inhibitor musculoskeletal syndrome: a prospective study. Arthritis Care Res (Hoboken), 64(12): 1910-8.

107930	Skovgaard D, Siersma VD, Klausen SB, et al (2021). Chronic hyperglycemia, hypercholesterolemia, and metabolic syndrome are associated with risk of tendon injury. Scand J Med Sci Sports, 31(9): 1822-31.
31897	Smith NA (2001). Lateral epicondylitis in a hospital phlebotomist--an ergonomic solution. Occup Med (Lond), 51(8): 513-5.
108755	Spekle EM, Hoozemans MJ, van der Beek AJ, et al (2012). The predictive validity of the RSI QuickScan questionnaire with respect to arm, shoulder and neck symptoms in computer workers. Ergonomics, 55(12): 1559-70.
72403	Stasinopoulos D, Johnson MI (2006). 'Lateral elbow tendinopathy' is the most appropriate diagnostic term for the condition commonly referred-to as lateral epicondylitis. Med Hypotheses, 67(6): 1400-2.
32118	Su CC, Jin YT, Chien CH, et al (1991). Postirradiation angiosarcoma of the terminal ileum. Zhonghua Yi Xue Za Zhi (Taipei), 48(2): 147-52.
108704	Swedish Council on Health Technology Assessment (SBU) (2012). The Importance of Work for the Occurrence of Problems and Diseases: The Neck and Upper Musculoskeletal System. A Systematic Literature Review. The State's Preparation for Medical Evaluation (SBU) [Report in Swedish].
25310	Swedish Council on Health Technology Assessment (2012). Summary and Conclusions of the SBU Report: Occupational Exposures and Neck and Upper Extremity Disoders: A Systematic Review.
107911	Tajika T, Kobayashi T, Yamamoto A, et al (2014). Prevalence and risk factors of lateral epicondylitis in a mountain village in Japan. J Orthop Surg (Hong Kong), 22(2): 240-3.
107912	Tamminga SJ, Kuijer PP, Badarin K, et al (2021). Towards harmonisation of case definitions for eight work-related musculoskeletal disorders - an international multi-disciplinary Delphi study. BMC Musculoskelet Disord, 22(1): 1018.
31933	Taylor HM, Bender BL (1991). Tennis elbow and computers. CMAJ, 144(1): 13, 16.
72370	Taylor SA, Hannafin JA (2012). Evaluation and management of elbow tendinopathy. Sports Health, 4(5): 384-93.
77860	Teichtahl AJ, Brady SR, Urquhart DM, et al (2016). Statins and tendinopathy: a systematic review. Med J Aust, 204(3): 115-21.e1.
108927	The National Committee for Medical and Social Evaluation (SBU) (2022). The importance of the work environment for problems and illness in the neck, shoulders, arms and hands. Retrieved 31 October 2022, from https://www.sbu.se/349
107913	Thiese MS, Hegmann KT, Kapellusch J, et al (2016). Psychosocial factors related to lateral and medial epicondylitis: results from pooled study analyses. J Occup Environ Med, 58(6): 588-93.
73444	Titchener AG, Fakis A, Tambe AA, et al (2013). Risk factors in lateral epicondylitis (tennis elbow): a case-control study. J Hand Surg Eur Vol, 38(2): 159-64.
108929	Tornqvist EW, Hagberg M, Hagman M, et al (2009). The influence of working conditions and individual factors on the incidence of neck and upper limb symptoms among professional computer users. Int Arch Occup Environ Health, 82(6): 689-702.
72414	Tsai WC, Yang YM (2011). Fluoroquinolone-associated tendinopathy. Chang Gung Med J, 34(5): 461- 7.
108930	Turkistani AN, Al-Romaih A, Alrayes MM, et al (2021). Computer vision syndrome among Saudi population: An evaluation of prevalence and risk factors. J Family Med Prim Care, 10(6): 2313-8.

72614	Unknown (2010). Medial epicondylitis (golfers elbow). Retrieved 12 August 2014, from http://www.merckmanuals.com/professional/injuries_poisoning/sports_injury/medial_epicondylitis.html
72613	Unknown (2012). Lateral epicondylitis (tennis elbow). Retrieved 12 August 2014, from http://www.merckmanuals.com/professional/injuries_poisoning/sports_injury/lateral_epicondylitis.html
108928	Usgaonkar U, Shet Parkar SR, Shetty A (2021). Impact of the use of digital devices on eyes during the lockdown period of COVID-19 pandemic. Indian J Ophthalmol, 69(7): 1901-6.
107914	van der Molen HF, Hulshof CT, Kuijer PP (2019). How to improve the assessment of the impact of occupational diseases at a national level? The Netherlands as an example. Occup Environ Med, 76(1): 30-2.
107915	van der Molen HF, Visser S, Alfonso JH, et al (2021). Diagnostic criteria for musculoskeletal disorders for use in occupational healthcare or research: a scoping review of consensus- and synthesised-based case definitions. BMC Musculoskelet Disord, 22(1): 169.
107934	van Middelaar T, van Vught LA, van Gool WA, et al (2018). Blood pressure-lowering interventions to prevent dementia: a systematic review and meta-analysis. J Hypertens, 36(9): 1780-7.
72382	van Rijn RM, Huisstede BM, Koes BW, et al (2009). Associations between work-related factors and specific disorders at the elbow: a systematic literature review. Rheumatology (Oxford), 48(5): 528-36.
107373	Vaquero-Picado A, Barco R, Antuna SA (2017). Lateral epicondylitis of the elbow. EFORT Open Rev, 1(11): 391-7.
31884	Verhaar JA (1994). Tennis elbow. Anatomical, epidemiological and therapeutic aspects. Int Orthop, 18(5): 263-7.
31913	Viikari-Juntura E, Kurppa K, Kuosma E, et al (1991). Prevalence of epicondylitis and elbow pain in the meat-processing industry. Scand J Work Environ Health, 17(1): 38-45.
108683	Village J, Rempel D, Teschke K (2005). Musculoskeletal disorders of the upper extremity associated with computer work: A systematic review. Occup Ergon, 5(4): 205-18.
108169	Vives Alvarado JR, Felix ER, Gater DR Jr (2021). Upper extremity overuse injuries and obesity after spinal cord injury. Top Spinal Cord Inj Rehabil, 27(1): 68-74.
108932	Waersted M, Hanvold TN, Veiersted KB (2010). Computer work and musculoskeletal disorders of the neck and upper extremity: a systematic review. BMC Musculoskelet Disord, 11: 79.
72383	Walker-Bone K, Palmer KT, Reading I, et al (2012). Occupation and epicondylitis: a population-based study. Rheumatology (Oxford), 51(2): 305-10.
109560	Walrod BJ (2021). Lateral epicondylitis (Tennis elbow). Retrieved 7 December 2022, from https://emedicine.medscape.com/article/96969-clinical
72665	Walrod BJ, Young CC (2014). Lateral epicondylitis. Retrieved 15 August 2014, from http://emedicine.medscape.com/article/96969-overview
107910	Warrender WJ, Henstenburg J, Maltenfort M, et al (2018). Seasonal variation in the prevalence of common orthopaedic upper extremity conditions. J Wrist Surg, 7(3): 232-6.
72616	Waseem M, Nuhmani S, Ram CS, et al (2012). Lateral epicondylitis: a review of the literature. J Back Musculoskelet Rehabil, 25(2): 131-42.
72401	Waugh EJ (2005). Lateral epicondylalgia or epicondylitis: what's in a name? J Orthop Sports Phys Ther, 35(4): 200-2.

108933	Waugh EJ, Jaglal SB, Davis AM (2004). Computer use associated with poor long-term prognosis of conservatively managed lateral epicondylalgia. J Orthop Sports Phys Ther, 34(12): 770-80.
72617	Wei N (2008). Outlet shoppers elbow. J Clin Rheumatol, 14(3): 192.
72632	Werner RA, Franzblau A, Gell N, et al (2005). A longitudinal study of industrial and clerical workers: predictors of upper extremity tendonitis. J Occup Rehabil, 15(1): 37-46.
108931	Werner RA, Franzblau A, Gell N, et al (2005). Predictors of persistent elbow tendonitis among auto assembly workers. J Occup Rehabil, 15(3): 393-400.
107360	Wikstrom EA, Naik S, Lodha N, et al (2010). Bilateral balance impairments after lateral ankle trauma: a systematic review and meta-analysis. Gait Posture, 31(4): 407-14.
72384	Wolf JM, Mountcastle S, Burks R, et al (2010). Epidemiology of lateral and medial epicondylitis in a military population. Mil Med, 175(5): 336-9.
107992	Wolf SJ (2015). You're the Flight Surgeon: lateral epicondylitis. Aerosp Med Hum Perform, 86(12): 1077-80.
108166	Yeh TS, Chang KV, Wang TG (2011). Common flexor tendon tear following yoga and local corticosteroid injections: a case report. J Med Ultrasound, 19(3): 91-4.
109561	Young CC (2019). Medial epicondylitis. Retrieved 7 December 2022, from https://emedicine.medscape.com/article/97217-overview
72388	Zeisig E (2012). Natural course in tennis elbow--lateral epicondylitis after all? Knee Surg Sports Traumatol Arthrosc, 20(12): 2549-52.