



COMPLEX REGIONAL PAIN SYNDROME

RMA ID Number	Reference List for RMA411-1 as at October 2016
---------------	--

17292	Falasca GF, Toly TM, Reginato AJ, Schraeder PL, O'Connor CR (1994). Reflex sympathetic dystrophy associated with antiepileptic drugs. <i>Epilepsia</i> , 35(2): 394-9.
19149	Allen G, Galer BS, Schwartz L (1999). Epidemiology of complex regional pain syndrome: a retrospective chart review of 134 patients. <i>Pain</i> , 80: 539-44.
60399	Marinus J, Van Hilten JJ (2006). Clinical expression profiles of complex regional pain syndrome, fibromyalgia and a-specific repetitive strain injury: more common denominators that pain? <i>Disability and Rehabilitation</i> , 28(6): 351-62.
60478	Rho RH, Brewer RP, Lamer TJ, Wilson PR (2002). Complex regional pain syndrome. <i>Mayo Clin Proc</i> , 77: 174-80.
61170	Garcilazo C, Cavallasca JA, Musuruana JL (2010). Shoulder manifestations of diabetes mellitus. <i>Curr Diab Rev</i> , 6: 334-40.
68441	Lotti M, Moretto A (2005). Organophosphate-induced delayed polyneuropathy. <i>Toxicol Rev</i> , 24(1): 37-49.
77277	Heir GM, Nasri-Heir C, Thomas D, et al (2012). Complex regional pain syndrome following trigeminal nerve injury: report of 2 cases. <i>Oral Surg Oral Med Oral Pathol Oral Radiol Endod</i> , 114(6): 733-9.
77278	Richards S, Chalkiadis G, Lakshman R, et al (2012). Complex regional pain syndrome following immunisation. <i>Archives of Disease in Childhood</i> , 97(10): 913-5.
77279	Newman B (2013). Arm complications after manual whole blood donation and their impact. <i>Transfus Med Rev</i> , 27(1): 44-9.
77280	Bruehl S (2015). Complex regional pain syndrome. <i>BMJ</i> , 351: h2730.
77281	Goenka A, Aziz M, Riley P, et al (2014). Complex regional pain syndrome involving the face following snowball injury. <i>Eur J Pediatr</i> , 173: 397-400.
77282	Fenton P, Bali N, Matheshwari R, et al (2014). Complications of tibio-talar-calcaneal fusion using intramedullary nails. <i>Foot and Ankle Surgery</i> , 20(4): 268-71.
77283	Rewhorn MJ, Leung AH, Gillespie A, et al (2014). Incidence of complex regional pain syndrome after foot and ankle surgery. <i>Journal of Foot & Ankle Surgery</i> , 53(3): 256-8.
77284	Regan MJ, Rathi J (2011). Cervical spinal cord tumor causing complex regional pain syndrome. <i>Mayo Clin Proc</i> , 86(8): 713.
77285	Oaklander AL (2012). Development of CRPS after shingles: It's all about location. <i>Pain</i> , 153(12): 2309-10.
77286	Bhattarai B, Shrestha BP, Rahman TR, et al (2008). Complex regional pain syndrome (CRPS) type-1 following snake bite: a case report. <i>Nepal Med Coll J</i> , 10(4): 278-80.
77431	Unlu Sakaci I, Ersoz M, Tung H, et al (2012). Simultaneous complex regional pain syndrome of the upper and lower limb in a stroke patient: case report. <i>Eur J Phys Rehabil Med</i> , 48(1): 155-61.

77432	Garg R, Dehran M (2010). Leprosy: a precipitating factor for complex regional pain syndrome. <i>Minerva Anesthesiol</i> , 76(9): 758-60.
77433	Morte PD, Magee DO, Magee LM (2011). Hyperalgesia after volar wrist tattoo: a case of complex regional pain syndrome? <i>J Clin Neuromuscul Dis</i> , 12(3): 118-21.
77571	Chae J (2010). Poststroke complex regional pain syndrome. <i>Topics in Stroke Rehabilitation</i> , 17(3): 151-62.
77697	Wolter T, Knoller SM, Rommel (2012). Complex regional pain syndrome following spine surgery: clinical and prognostic implications. <i>Eur Neurol</i> , 68: 52-8.
78670	Thieme H, Morkisch N, Rietz C, et al (2016). The efficacy of movement representation techniques for treatment of limb pain--a systematic review and meta-analysis. <i>J Pain</i> , 17(2): 167-80.
78671	Xu J, Yang J, Lin P, et al (2016). Intravenous therapies for complex regional pain syndrome: A systematic review. <i>Anesth Analg</i> , 122(3): 843-56.
78672	Smart KM, Wand BM, O'Connell NE (2016). Physiotherapy for pain and disability in adults with complex regional pain syndrome (CRPS) types I and II. 2: CD010853.
78674	Castelnuovo G, Giusti EM, Manzoni GM, et al (2016). Psychological treatments and psychotherapies in the neurorehabilitation of pain: Evidences and recommendations from the Italian Consensus Conference on Pain in Neurorehabilitation. <i>Frontiers in Psychology</i> , 7: 115.
78675	Bean DJ, Johnson MH, Kydd RR (2014). The outcome of complex regional pain syndrome type 1: A systematic review. <i>J Pain</i> , 15(7): 677-90.
78676	van Bussel CM, Stronks DL, Huygen FJ (2014). Complex regional pain syndrome type I of the knee: a systematic literature review. <i>Eur J Pain</i> , 18(6): 766-73.
78678	Revis DR (2015). Reflex sympathetic dystrophy. . Retrieved 13 June 2016, from http://emedicine.medscape.com/article/334377
78684	Borchers AT, Gershwin ME (2014). Complex regional pain syndrome: a comprehensive and critical review. <i>Autoimmun Rev</i> , 13(3): 242-65.
78685	Kale S (2014). Reflex sympathetic dystrophy surgery. . Retrieved 13 June 2016, from http://emedicine.medscape.com/article/1269453
78686	Cossins L, Okell RW, Cameron H, et al (2013). Treatment of complex regional pain syndrome in adults: A systematic review of randomized controlled trials published from June 2000 to February 2012. <i>Eur J Pain</i> , 17(2): 158-73.
78687	Pons T, Shipton EA, Williman J, et al (2015). Potential risk factors for the onset of complex regional pain syndrome type 1: a systematic literature review. <i>Anesthesiology Research and Practice</i> , 2015: 956539.
78688	Tarantino U, Buharaja R, Piccirilli E, et al (2015). Algodystrophy in major orthopaedic surgery. <i>Clin Cases Miner Bone Metab</i> , 12(Suppl 1): 17-20.
78689	Wertli M, Bachmann LM, Weiner SS, et al (2013). Prognostic factors in complex regional pain syndrome 1: a systematic review. <i>J Rehabil Med</i> , 45(3): 225-31.
78690	Parkitny L, McAuley JH, Di Pietro F, et al (2013). Inflammation in complex regional pain syndrome: a systematic review and meta-analysis. <i>Neurology</i> , 80(1): 106-17.
78691	Harden N, Oaklander AL, Burton AW, et al (2013). Complex regional pain syndrome: practical diagnostic and treatment guidelines, 4th edition. <i>Pain Medicine</i> , 14(2): 180-229.
78692	Abdi S (2015). Complex regional pain syndrome in adults: Pathogenesis, clinical manifestations, and diagnosis. , : . Retrieved 6 June 2016, from http://www.uptodate.com/contents/complex-regional-pain-syndrome-in-adults-pathogenesis-clinical-manifestations-and-diagnosis

78693	Abdi S (2016). Complex regional pain syndrome: Prevention and management. . Retrieved 6 June 2016, from http://www.uptodate.com/contents/complex-regional-pain-syndrome-in-adults-prevention-and-management
78694	Sherry D (2016). Complex regional pain syndrome in children. . Retrieved 6 June 2016, from http://www.uptodate.com/contents/complex-regional-pain-syndrome-in-children
78695	Butchart AG, Mathews M, Surendran A (2012). Complex regional pain syndrome following protracted labour. <i>Anaesthesia</i> , 67: 1272-4.
78697	Dutton K, Littlejohn G (2015). Terminology, criteria, and definitions in complex regional pain syndrome: challenges and solutions. <i>J Pain Res</i> , 8: 871-7.
78698	Field J (2013). Complex regional pain syndrome: a review. <i>J Hand Surg (Eur)</i> , 38E(6): 616-26.
78699	Serban AL, Udrea GF (2012). Rheumatic manifestations in diabetic patients. <i>J Med Life</i> , 5(3): 252-7.
78700	Wager J, Brehmer H, Hirschfeld G, et al (2015). Psychological distress and stressful life events in pediatric complex regional pain syndrome. <i>Pain Res Manag</i> , 20(4): 189-94.
78717	Lohnberg JA, Altmaier EM (2013). A review of psychosocial factors in complex regional pain syndrome. <i>J Clin Psychol Med Settings</i> , 20(2): 247-54.
78718	Tanabe Y (2006). [Complex regional pain syndrome type I induced by phenobarbital]. <i>No To Shinkei</i> , 58(8): 687-92 [Article in Japanese]. [Abstract]
78719	Beerthuisen A, van 't Spijker A, Huygen FJ, et al (2009). Is there an association between psychological factors and the Complex Regional Pain Syndrome type 1 (CRPS1) in adults? A systematic review. <i>Pain</i> , 145(1-2): 52-9.
78720	Beerthuisen A, Stronks DL, Hygen FJ, et al (2011). The association between psychological factors and the development of complex regional pain syndrome type 1 (CRPS1) - A prospective multicenter study. <i>Eur J Pain</i> , 15(9): 971-5.
78721	Poncelet C, Perdu M, Levy-Weil F, et al (1999). Reflex sympathetic dystrophy in pregnancy: nine cases and a review of the literature. <i>Eur J Obstet Gynecol Reprod Biol</i> , 86(1): 55-63.
78722	Al-Homood IA (2013). Rheumatic conditions in patients with diabetes mellitus. <i>Clin Rheumatol</i> , 32(5): 527-33.
78723	Ito S, Asahina M, Asahina M, et al (2001). [Severe chronic pain with allodynia in Parkinson's disease: a case report]. <i>Rinsho Shinkeigaku</i> , 41(2-3): 147-9 [Article in Japanese]. [Abstract]
78724	Lee BF, Chiu NT, Chen WH, et al (1988). Heroin-induced rhabdomyolysis as a cause of reflex sympathetic dystrophy. <i>Clin Nuclear Med</i> , 26(4): 289-92.
78725	Hassantash SA, Afrakhteh M, Maier RV (2003). Causalgia: a meta-analysis of the literature. <i>Arch Surg</i> , 138(11): 1226-31.
78726	Todorova J, Dantchev N, Petrova G (2013). Complex regional pain syndrome acceptance and the alternative denominations in the medical literature. <i>Med Princ Pract</i> , 22(3): 295-300.
78760	Pawelka S, Fialka V, Ernest E (1993). Reflex sympathetic dystrophy and cigarette smoking. <i>J Hand Surg Am</i> , 18(1): 168; Author's reply: 168-9.
78761	Rovetta G, Baratto L, Farinelli G, et al (2001). Three-month follow-up of shoulder-hand syndrome induced by phenobarbital and treated with gabapentin. <i>Int J Tissue React</i> , 23(1): 39-43.
78762	Renier JC, Oury M, Bergeon C, et al (1969). [The algodystrophies caused by antituberculous chemotherapy. Study of 24 cases]. <i>Rev Rhum Mal Osteoartic</i> , 36(11): 605-7 [Article in French].

78763	An HS, Hawthorne KB, Jackson WT (1988). Reflex sympathetic dystrophy and cigarette smoking. <i>J Hand Surg Am</i> , 13(3): 458-60.
78764	Sahin M, Bernay I, Canturk F, et al (1994). Reflex sympathetic dystrophy syndrome secondary to organophosphate intoxication induced neuropathy. <i>Annals of Nuclear Medicine</i> , 8(4): 299-300.
78787	Birch R (2009). Causalgia: a restatement. <i>Neurosurgery</i> , 65(4 Suppl): A222-8.
78788	Marshall AT, Crisp AJ (2000). Reflex sympathetic dystrophy. <i>Rheumatology</i> , 39: 692-5.
78807	Walling HW (2011). Clinical differentiation of primary from secondary hyperhidrosis. <i>J Am Acad Dermatol</i> , 64(4): 690-5.
78808	Evanview N, McCarthy C, Kleinlugtenbelt YV, et al (2015). Vitamin C to prevent complex regional pain syndrome in patients with distal radius fractures: A meta-analysis of randomized controlled trials. <i>J Orthop Trauma</i> , 29(8): e235-41.
78809	Shibuya N, Humphers JM, Agarwal MR, et al (2013). Efficacy and safety of high-dose vitamin C on complex regional pain syndrome in extremity trauma and surgery--systematic review and meta-analysis. <i>J Foot Ankle Surg</i> , 52(1): 62-6.
78810	Wang YC, Li HY, Lin FS, et al (2015). Injury location and mechanism for complex regional pain syndrome: A nationwide population-based case-control study in Taiwan. <i>Pain Practice</i> , 15(6): 548-53.
78811	Lazaro RP (2015). Complex regional pain syndrome and acute carpal tunnel syndrome following radial artery cannulation: a neurological perspective and review of the literature. <i>Medicine</i> , 94(3): e422.
78812	Unal-Cevik I, Oaklander AL (2011). Comparing partial and total tibial-nerve axotomy: long-term effects on prevalence and location of evoked pain behaviors. <i>Pain Practice</i> , 11(2): 109-19.
78813	Giannopoulos S, Pelidou SH, Kyritsis AP, et al (2007). Burden of illness in painful diabetic peripheral neuropathy. <i>J Pain</i> , 8(6): 530.
78814	Horowitz SH (2001). Venipuncture-induced neuropathic pain: the clinical syndrome, with comparisons to experimental nerve injury models. <i>Pain</i> , 94(3): 225-9.
78817	Ramchandren S, Chaudhry V, Hoke A, et al (2008). Peripheral nerve vasculitis presenting as complex regional pain syndrome. <i>J Clin Neuromuscul Dis</i> , 10(2): 61-4.
78989	Beerthuisen A, Stronks DL, Van't Spijker A, et al (2012). Demographic and medical parameters in the development of complex regional pain syndrome type 1 (CRPS1): Prospective study of 596 patients with a fracture. <i>Pain</i> , 153(6): 1187-92.
79432	International Association for the Study of Pain (2014). Classification of chronic pain. Detailed descriptions of pain syndromes. Relatively generalised syndromes. Complex regional pain syndrome. 2nd Edition (Revised). Retrieved 6 June 2015, from http://www.iasp-pain.org/files/Content/ContentFolders/Publications2/ClassificationofChronicPain/Part_II-A.pdf